

WORKSHOP EQUIPMENTS



PALLET LEGS 5



WORKTABLES 6-9



TOOL TROLLEYS 10



WORK SHOP TROLLEY 11-12

RACKS AND STORAGE



SHELVS 23



SHELVING SYSTEMS 24-25



STEP STOOLS 26-27

TRANSPORT AND LIFTING



HAND TRUCKS 37-41



TROLLEYS 42-45



PALLET CAGES 46



TROLLEYS & TRANSPORT 47-49



PALLET TRUCKS 50-59

ENVIRONMENTAL HANDLING



WORK CAGES 85



DRUM LIFTERS 86-87



DRUM PALLETS 88-91



TOOL TROLLEY 92




BOTTOM DISCHARGING 92

WINTER PRODUCTS



GRIT & SALT BINS 101



PLOGHS 102-103

Reservations:


- Due to printing technology reasons, shades of color may differ from reality.
- We reserve us against product- and design changes that can occur beyond our control.



Flat pack – Is good for the environment because of less transport space which also give you a lower transport cost and make them easier for storage before use.



TOOL CABINET & PANEL 13



TOOL PANELS & HOOKS 14-19



COMPUTER CABINETS 20-21



STORAGE CABINETS 28-29



CHEMICAL CABINET 30



KEY BOXES 31



LOCKERS 32-35



SCISSOR LIFTS 60-61



LIFTING TABLES 62-65



LIFTERS & STACKERS 66-74



ACCESSORIES, LIFTING, TRANSPORT 75-83



REFUSE BINS 93



TILTING SKIPS 94-96



HEAVY DUTY TILTING SKIPS 97



SPECIAL TILTING SKIPS 99



SNOW SHOWEL 104



SALT & SAND CARRIER 105



SNOW BLOWERS 105


Special products and product customization!

Can you not find what you are looking for? We have the ability to customize many of our products!

We also know manufacturers all over the world so we can search for the products that will suit your need! Remember always to ask us first!



WORKSHOP EQUIPMENTS



PALLET LEGS

Table of opportunities! There are load pallets everywhere. You can fasten the pallet legs in 20 seconds and get a stable worktable, exhibition table or platform. Easy to move with a forklift truck or a stacker! The height is included the pallet!

The wheel set in size 125mm increase the total height with 155 mm.

WHEELS FOR PALLET LEGS



Item No 8612019075



COVER FOR PALLET LEGS

Item No	Color	LxWxH mm	Material
2181103920	Black	1200x800x15	PVC textile
2181103922	Green	1200x800x15	PVC textile
2181103923	Red	1200x800x15	PVC textile
2181103924	Yellow	1200x800x15	PVC textile
2181103925	White	1200x800x15	PVC textile
2181103926	Blue	1200x800x15	PVC textile
2181103927	Grey	1200x800x15	PVC textile

Item No 2541010850





Item No	2541010580	2541010730	2541010850
Identification	PB 580	PB 730	PB 850
Loading capacity kg	500	500	500
Height inc. pallet mm	580	730	850
Width mm	800	800	800
Material	Steel tube	Steel tube	Steel tube
Surface treatment	Zinc coating	Zinc coating	Zinc coating

Height 850 mm

Height 730 mm

Height 580 mm



STABLE WORKTABLE

Worktable with manual height adjustment between 720 and 970 mm. Perfectly adapted for assembly work.
20 mm thick table top of light grey laminate.
Maximum load of 150 kg evenly distributed over the surface of the table.
- RAL Grey 7038.



Item No 4230074302

Item no.	Identification	Width mm	Depth mm	Min. height mm	Max height mm
4230074302	Stable Worktable 16	1600	800	720	970
4230074304	Stable Worktable 20	2000	800	720	970

PACKING TABLE KIT

Suitable for worktable **4230074304**
Cutting width 1,300 mm
NOTE: Table and packing material is not included.
- RAL Blue 5005, Grey 7038.



Item No 4035074324

EXTRA STRONG WORKTABLES

Extra strong worktables for heavy handling with manual height adjustment of between 740 and 1100 mm.

Supplied with a hard-wearing 42 mm thick table top in order to cope even with really heavy and dirty work.

Maximum load of 500 kg evenly distributed over the surface of the table. Supplied complete with trestles.
- RAL Grey 7038.



Item No 423174332

Item No	Identification	Width mm	Depth mm
4231743301	Oil-tempered board	1600	800
4231743302	Oak board	1600	800
4231743303	Aluzink	1600	800
4231743304	Vinyl	1600	800
4231743321	Oil-tempered board	2000	800
4231743322	Oak board	2000	800
4231743323	Aluzink	2000	800
4231743324	Vinyl	2000	800



EXTRA STRONG WORKTABLES

Extra strong worktables for heavy handling. Supplied with a hard-wearing 42 mm thick table top in order to cope even with really heavy and dirty work.

Maximum load of 500 kg evenly distributed over the surface of the table.


The drawers are fitted with ball bearings and are 100% telescopic.

Supplied complete with a trestle, a drawer unit (Item No 4035074350) with 5 drawers 1x50, 2x100, 1x150 and 1x200 mm and a base panel. Capacity per drawer 40 kg.
- RAL Grey 7038.

Item No 423274334



Item No	Identification	Width mm	Depth mm
4232743341	Oil-tempered board	1600	800
4232743342	Oak board	1600	800
4232743343	Aluzink	1600	800
4232743344	Vinyl	1600	800
4232743351	Oil-tempered board	2000	800
4232743352	Oak board	2000	800
4232743353	Aluzink	2000	800
4232743354	Vinyl	2000	800



EXTRA STRONG WORKTABLES

Extra strong worktables for heavy handling. .
Supplied with a hard-wearing 42 mm thick table top in order to cope even with really heavy and dirty work.

Maximum load of 500 kg evenly distributed over the surface of the table.


The drawers are fitted with ball bearings and are 100% telescopic.

Supplied complete with a trestle, a drawer unit (Item No 4035074352) with 6 drawers and a base panel.
Drawer height: 6x100 mm. Capacity per drawer 40 kg.
- RAL Blue 5005, Grey 7038.

Item No 4232743362



Item No	Identification	Length mm	Depth mm
4232743361	Oil-tempered board	1600	800
4232743362	Oak board	1600	800
4232743363	Aluzink	1600	800
4232743364	Vinyl	1600	800
4232743381	Oil-tempered board	2000	800
4232743382	Oak board	2000	800
4232743383	Aluzink	2000	800
4232743384	Vinyl	2000	800



DRAWER UNIT WITH A CENTRAL LOCK

The drawers are fitted with ball bearings and are 100 % telescopic.
Capacity per drawer 40 kg.
Max load in the whole drawer unit = 170 kg.
- RAL Blue 5005, Grey 7038.

ACCESSORIES:

- Drawer unit top of sheet metal painted in grey = Item No. 4035074355
- Wheel set, 4 castors, 2 with brakes. = Item No 4035074356
- Rubber mat, black = Item No 8711074358

Item No	Identification	External dimensions: Width x Depth x Height mm	Internal dimensions: Width x Depth mm	Capacity in kg per drawer	Total capacity kg
4035074350	Drawer unit, 5 drawers	535x665x800	450x606	40	170
4035074352	Drawer unit, 6 drawers	535x665x800	450x606	40	170

Item No 4035074350



Item No 4035074352



Complete with
all accessories!

ATTACHMENT KIT

This kit makes your worktable a complete work-place. The kit consists of:

- 3 perforated pillars
- 2 struts, 645 or 875 mm.
- 2 perforated panels 666x480 mm or 886x480 mm.
- 1 hook kit with 30 mixes hooks ,


(contents, see Item No 4038074113).

Item No 4035074320 is suitable for worktables with a width of 1600 mm.

Item No 4035074322 is suitable for worktables with a width of 2000 mm.

- RAL Blue 5005, Grey 7038.

Item No 4035074320 / 4035074322



STORAGE DRAWER

Storage drawer for installation underneath the table top of the worktable.

Lockable, fitted with a cylinder lock and ball bearings and 100% telescopic.

Capacity per drawer 40 kg.

- RAL Blue 5005, Grey 7038.

Item No 4035074310




Item No	Identification	Width mm	Depth mm	Height mm
4035074310	Storage drawer	535	665	100

DRAWER ORGANISER

Drawer organiser for drawer units and storage drawers (not suitable for 50-mm-high drawer).

- RAL Blue 5005,

Item No 4035074318



Item No	Identification	Width mm	Depth mm	Height mm
4035074318	Drawer organiser	445	600	95

TOOL TROLLEYS

Our range of portable mobile tool trolleys/work benches contains two different models.

The mobile tool trolleys/work benches have a working surface and four strong wheels, two with brakes. The trolley can be equipped with an extension kit (Item No 4033074040).

Both trolleys are supplied with individual drawer restraints.
The drawers are fitted with ball bearings and are 100% telescopic.
Drawer height: 1x200, 4x100 (Item No 4033074020)
Drawer height: 2x200, 8x100 (Item No 4033074030)
- RAL Blue 5005, Grey 7038.

- The attachment kit consists of:
- 2 perforated pillars
 - 1 perforated panel
 - Hanging strip with 7 plastic bins
 - 1 shelf
 - 1 pack of 20 mixed hooks , (part no. 4038074112).

Item No 4033074030



Item No 4033074020+4033074040



Item No	Identification	Width mm	Depth mm	Height mm	Weight kg	Capacity in kg per drawer	Total capacity in kg	Wheel diameter x width mm
4033074020	Tool trolley Oak 5+1	1025	600	900	97	40	600	130x40
4033074021	Tool trolley Vinyl 5+1	1025	600	900	97	40	600	130x40
4033074030	Tool trolley Oak 5+5	1025	600	900	121	40	600	130x40
4033074031	Tool trolley Vinyl 5+5	1025	600	900	121	40	600	130x40
4033074040	Attachment kit	925		825	20			

WORKSHOP TROLLEY

The workshop trolley has a stable design with a cabinet of perforated steel and undercarriage in square pipe. The trolley also has four swivel wheels, two with brakes.

Supplied with a kit of 20 mixed hooks (Item No 4038074112).
Accessories: Drawer unit (Item No 4033074070 74070)

The drawers are fitted with ball bearings and are 100% telescopic.

Drawer height: 1x50, 2x150, 1x250.

Capacity per drawer 40 kg.
- RAL Blue 5005, Grey 7038.

Item No 4033074060



Item No 4033074060+4033074070



Item No 4033074070



Item No	Identification	Width mm	Depth mm	Height mm	Cabinet height x depth x width mm	Wheel diameter x width mm	Weight kg
4033074060	Workshop trolley	600	400	1800	885x400x600	125x27 Rubber	32
4033074070	Drawer unit	544	400	693	693		30

MOBILE FLEX TROLLEY

Mobile storage trolley with perforated tool panels on the sides and 2 shelves. Equipped with four castors, two with brakes. The perforated panels have 9 mm square holes with cc 38 mm for hanging of tool hooks.
- RAL Blue 5005, Grey 7038.

Item No 4033074010
+ 4033074011



Item No 4033074010




FlatPack

WRITING DESK

The writing desk is intended for installation on Item No 4033074010, on the wall or stand-alone. The writing desk has a hinged writing surface equipped with a raised edge and a paper storage unit.

Item No 4033074011



Item No	Width mm	Depth mm	Height back mm	Height front mm	Weight kg	Wheel diameter x width mm
4033074010 + 4033074011	490	445	1310	1175	44	75x20
4033074010	490	445	1080	1080	40	75x20
4033074011	490	445	230	100	4	

MOBILE TOOL CABINET

Equipped with one fixed shelf, writing desk covered in rubber and a pen holder. Supplied with 4 solid rubber wheels with brakes. Both the door and the writing desk can be locked securely with cylinder locks. Powder coated for the best finish and durability.
- RAL Blue 5005, Grey 7038.

Item No 4012071400

Item No	Width mm	Depth mm	Height back mm	Height front mm	Weight kg	Wheel diameter x width mm
4012071400	500	500	1270	1100	29	100x30



TOOL CABINET

Stable welded tool cabinet in a very robust design.

- Lockable.
- Supplied complete with fittings as in the picture.
- Powder coated.

INCLUDES:

- Perforated panels in the back, walls and door.
- 2 fixed shelves.
- 1 telescopic shelf with ball bearings.
- 1 telescopic drawer with ball bearings.
- 1 drawer set with 6 drawers.
- Hanging strip with 7 plastic bins.
- 1 pcs Hook kit with 30 mixed hooks. (Item No 4038074113).
- Adjustable feet.
- RAL Blue 5005, Grey 7038.



Item No	Width mm	Depth mm	Height mm	Weight kg
4032074000	1020	540	2000	150

Item No 4032074000


TOOL TROLLEY

The perforated panels have 9 mm square holes with cc 38 mm for hanging of tool hooks.

- RAL Blue 5005, Grey 7038.



Item No 4033074050




Item No	Width mm	Depth in bottom mm	Depth on top mm	Height mm	Weight kg	Wheels diameter mm	Capacity kg
4033074050	1000	750	220	1660	20	125mm	400

TOOL PANELS

The perforated panels have 9 mm square holes with cc 38 mm for hanging of tool hooks. Panel 4038074100 and 4038074102 is equipped with integrated hanging attachments.

Panel 4038074105 is intended for wall mounting.



Item No	Identification	Width mm	Height mm	Depth mm	Number per package	Weight kg
4038074100	Tool panel	896	480	18	1	5
4038074102	Tool panel	666	480	18	1	3
4038074105	Tool panel	1950	900	18	1	15

HOOK SETS

Hook set 20 pack

Hanging hook 100 mm, 4 pieces.
Single hook 50 mm, 6 pieces.
Spring clip 12 mm, 3 pieces.
Spring clip 18 mm, 3 pieces.
Double hook 55 x 25 mm, 4 pieces.

Item No
4038074112
(20-pack)



Hook set 30 pack

Hanging hook 38 mm, 5 pieces.
Hanging hook 200 mm, 3 pieces.
Double hook 38x11 mm, 6 pieces.
Double hook 64x11 mm, 2 pieces.
Tool hook 23/44 mm, 3 pieces.
Double angle hook 50 mm, 3 pieces.
Box holder, incl. box, 2 pieces.
Pipe holder 9 mm, 2 pieces.
Pipe holder 16 mm, 2 pieces.
Pipe holder 24 mm, 2 pieces.

Item No
4038074113
(30-pack)



Hook set 50 pack

Hanging hook 38 mm, 20 pieces.
Double hook 38x11 mm, 10 pieces.
Tool hook 23/44 mm, 5 pieces.
Double angle hook 50 mm, 5 pieces.
Ring hook 40 mm, 1 piece.
Ring hook 60 mm, 1 piece.
Spring clip 12 mm, 5 pieces.
Pipe holder 16 mm, 2 pieces.
Cup 82 mm, 1 piece.

Item No
4038074115
(50-pack)




ASSORTED HOOKS

Item No 4038074140-4038074153



Item No 4038074128-4038074133



Item No 4038074138-4038074139




Item No 4038074155



Item No 4038074120



Item No 4038074170-4038074173



Item No 4038074135-4038074137



Item No 4038074195




Item No 4038074196



Item No 4038074191




Item No 4038074122-4038074125




Item No 4038074190



Item No 4038074160-4038074163




Item No 4038074175-4038074176



Item No 4038074183-4038074185




Item No 4038074188



Item No 4038074167-4038074168



Item No 4038074214



Item No 4038074220



Item No 4038074216-4038074217



Item No 4038074200-4038074203




Item No 4038074178



Item No 4038074165



Item No 4038074234



Item No 4038074212



Item No 4038074205



Item No 4038074207



Item No 4038074199




Item No 4038074228




Item No 4038074180-4038074181



Item No 4038074222




Item No 4038074236




Item No 4038074230



Item No 4038074231



Item No 4038074225



Item No 4038074232



Item No 4038074210



Item No	Identification	Length mm	Width mm	Depth mm	Diameter mm	Height mm	Number per package
4038074120	Base plate	34				40	3
4038074122	Hanging hook	24			5		3
4038074123	Hanging hook	38			5		3
4038074124	Hanging hook	100			6		3
4038074125	Hanging hook	200			6		3
4038074128	Single hook	10			6		3
4038074129	Single hook	50			6		3
4038074130	Single hook	100			8		3
4038074131	Single hook	150			8		3
4038074132	Single hook	200			8		3
4038074133	Single hook	250			8		3
4038074135	Angled single hook	25			5		3
4038074136	Angled single hook	50			5		3
4038074137	Angled single hook	100			5		3
4038074138	Round hook				60		3
4038074139	Round hook				80		3
4038074140	Double hook	38	7		5		3

<i>Item No</i>	<i>Identification</i>	<i>Length mm</i>	<i>Width mm</i>	<i>Depth mm</i>	<i>Diameter mm</i>	<i>Height mm</i>	<i>Number per package</i>
4038074141	Double hook	38	11		5		3
4038074142	Double hook	55	25		5		3
4038074143	Double hook	64	7		5		3
4038074144	Double hook	64	11		5		3
4038074145	Double hook	100	25		5		3
4038074146	Double hook	150	25		5		3
4038074147	Double hook	150	10		5		3
4038074148	Double hook	200	15		6		3
4038074150	Double hook	100	20		8		3
4038074151	Double hook	150	20		8		3
4038074152	Double hook	200	20		8		3
4038074153	Double hook	250	20		8		3
4038074155	Packaging hook	170	29				2
4038074160	Ring hook				40		2
4038074161	Ring hook				60		2
4038074162	Ring hook				80		2
4038074163	Ring hook				110		1
4038074165	Bottle hook				80		1
4038074167	Tool hook		43	20			3
4038074168	Tool hook		65	35			3
4038074170	Angle hook	50	40				3
4038074171	Angle hook	50	60				3
4038074173	Angle hook	70	80				3
4038074175	Swivel joint wrench hook	28	9				3
4038074176	Swivel joint wrench hook	33	17				3
4038074178	Document clip		60				1
4038074180	Rubber clip	25	40				2
4038074181	Rubber clip	50	40				2
4038074183	Spring clip				12		3
4038074184	Spring clip				18		3
4038074185	Spring clip				25		3
4038074188	Spring clip strip,		150				1
4038074190	Box holder, incl. box		100				1
4038074191	Box holder, excl. box		100				1
4038074195	Tray strip, incl 5 trays		555				1
4038074196	Tray strip, excl. trays		555				1
4038074199	Wire basket	385		180		100	1
4038074200	Pipe holder	70			35		2
4038074201	Pipe holder	50			9		2
4038074202	Pipe holder	75			16		2
4038074203	Pipe holder	75			24		2
4038074205	Pipe holder, straight	60			34		2
4038074207	Cup				90	22	1
4038074210	Shelf	350		120			1
4038074212	Hose shelf			160	125		1
4038074214	Hook strip, 6 holes	220					1
4038074216	Hook bobbin	100	80				1
4038074217	Hook bobbin	200	105				1
4038074220	Screwdriver holder, 7 holes	220					1
4038074222	Screwdriver holder	238					1
4038074225	Drill bit holder	240			3 - 14 mm		1
4038074228	Spanner holder, vertical		70			290	1
4038074231	Spanner holder	200					1
4038074232	Box spanner holder	250					1
4038074234	Allen key holder		170	105		40	1
4038074236	Swivel joint wrench holder	170					1

COMPUTER CABINET

Computer cabinet with self-ventilation. Supplied unassembled in order to ensure the best transport possible from an economic and environmental perspective. The cabinet protects against dust and dirt. It provides good protection against unauthorised users and mechanical damage. Suitable for screens of up to 21 inches. Powder coated for the best finish and durability.

- RAL Blue 5010, Grey 7035.



Item No	4031071150
Height mm	1730
Depth mm	545
Width mm	645
Weight kg	50

Item No 4031071150



COMPUTER CABINET

Computer cabinet for flat screens. It takes up little space as its depth is only 300 mm.

The computer is placed crosswise through the hatch on the short end. There is a service hatch on the side. The cabinet is equipped with a keyboard shelf and a terminal window for screens of up to 21 inches. All doors are equipped with locks.

The keyboard shelf has a telescopic mouse board. The bottom cabinet contains one fixed shelf.

Powder coated for the best finish and durability.

It is recommended to attach / anchor the computer cabinet to the wall.

- RAL Blue 5005, Grey 7038.

Item No	4031074080
Height mm	1630
Depth mm	300
Width mm	500
Weight kg	40

Item No 4031074080



Item No 4031071154

COMPUTER CABINET

A compact and well thought out computer cabinets for flat screen up to 21 ". Extra reinforced folding shelf for keyboard and mouse. Secure locking of doors and hatches with code locks. Supplied unassembled for the best transport economy. Color gray, RAL 7035 or two-tone gray / blue, RAL 7035 and 5010.



Item No	4031071152	4031071154
Height mm	1730	1730
Depth mm	280	280
Width mm	640	640
Weight kg	31	31
RAL Color	Blue 5010 / Grey 7035	Grey 7035



COMPUTER CABINET

A compact and smart computer cabinet for mounting on wall or table top. Equipped with a lockable door on the side and a pull-out drawer for keyboard and mouse. the cabinet is designed for screens up to 24 ". Self ventilated with punched holes on the side. Delivered in a flatpack for the best transport economy. Color grey, RAL 7035.




Item No	4031071156
Height mm	595
Depth mm	450
Width mm	640
Weight kg	16

Item No 4031071156





RACKS AND STORAGE



**SHELVING UNITS – T20A
AND T17A**

Strong shelving units for the warehouse, workshop, archive, office, food industry, shop, etc.

Strong shelving units with MDF shelves. Easily assembled without any screws. Suitable for all purposes in offices, workshops, shops or elsewhere. Supplied complete with 5 shelves!

Item No 4210072200

Item No 4210072175

Item No	4210072200	4210072175
Identification	T20	T17
Width mm	900	900
Depth mm	450	400
Height mm	1800	1800
Capacity kg	265	175
Colour	Grey	Dark Grey



SHELVING UNIT - LEO

Compact and smart shelving unit for the warehouse, workshop, archive, office, food industry, shop, etc. Assembled quickly and easily without any tools. Substantially reinforced shelves guaranteed for a load of 70 kg equally distributed over each shelf.

Available in a painted version in two different colours or galvanised steel. Preferable to be anchored to the wall. Supplied complete with 5 shelves!

Item No 4051072000

Item No 4051072005

Item No 4051072020



Item No	4051072000	4051072005	4051072020
Identification	LEO – White	LEO - Galv	LEO - Blue
Width mm	1000	1000	1000
Depth mm	400	400	400
Height mm	1850	1850	1850
RAL colour	White 9002	Galvanised	Blue 5010



UNIVERSAL SHELVES/ SHELVING SYSTEMS

Easily installed shelving units intended for large volume goods.

Easy and flexible to extend where required.

The units must be bolted to the floor.

Safety pins for locking beams to uprights.

Spacers must be used in the rear in the event of rear mounting.

The spacer for the universal shelves must be 200 mm (Item No 4050072082).

The spacer for the tyre shelves must be 300 mm (Item No 4050072084).

Recommendation: 3 spacers per upright.

Bolts and nuts are not included with the spacers!

- RAL Uprights 7016, Beams 7042



19 mm chipboard!



BEAMS

Item No	4050072050	4050072051	4050072052
Identification	Beam	Beam	Beam
Length mm	1500	2000	2700
Max load kg	580 per pair	400 per pair	220 per pair

UPRIGHTS


Item No	4050072056	4050072058	4050072060	4050072062	4050072064	4050072066
Identification	Uprights 2000x450 mm (HxD)	Uprights 2500x450 mm (HxD)	Uprights 3000x450 mm (HxD)	Uprights 2000x600 mm (HxD)	Uprights 2500x600 mm (HxD)	Uprights 2500x600 mm (HxD)

CHIPBOARDS

Item No	4050072068	4050072070	4050072071	4050072072	4050072074	4050072076
Identification	Chipboard	Chipboard	Chipboard	Chipboard	Chipboard	Chipboard
Length x Width mm	1485x398	1985x398	2685x398	1458x550	1985x550	2685x550

ACCESSORIES

Item No	4050072080	4050072082	4050072084
Identification	Safety pin	Spacer 200 mm	Spacer 300 mm
Quantity per package	2	1	1



Bolts and nuts are not included with the spacers!

TYRE SHELF

The same design as the Universal shelf (p. 24) but without chipboards. The uprights for the tyre shelves must be 450 mm deep – adapted to the dimensions of the tyres.

Item No 1910057100



For more information, see page 41



Example

FIGURE 1 = 3 uprights (Item No 4050072058) + 12 beams (Item No 4050072051) = Capacity 60 tyres.

UNIVERSAL SHELF/ TYRE SHELF

Very stable construction with heavy duty beams that have dual attachment points on each side.
Item no 4050072184 and 4050072182 are steelplates for the shelves delivered in 4-pack.
- RAL Uprights 7016, Beams 7042, Shelves 7042.

Item No	4050072183	4050072181	4050072184	4050072182
Height mm	2400	2400	-	-
Depth mm	450	450	450	450
Width mm	1200	1400	1200	1400
free distance between poles mm	1120	1320	-	-
Max load kg	300 per shelf	300 per shelf	-	-



STEP STOOL, 1 STEP PLASTIC

Step stool with one step manufactured entirely of plastic. Three wheels for easy moving of the step stool; locked automatically once you step on the stool. Maximum load of up to 150 kg. Suitable for shops, warehouses and offices etc.



Item No	4111034100	4111034101	4111034102	4111034103
Colour RAL	Grey 7035	Black 9005	Blue 5005	Red 3020
Ø mm Top	300	300	300	300
Ø mm Bottom	390	390	390	390
Maximum load Kg	150	150	150	150
Weight kg	1,6	1,6	1,6	1,6
Height mm	300	300	300	300



STEP STOOL, 2 STEP PLASTIC

Step stool with two step manufactured entirely of plastic. Three wheels for easy moving of the step stool; locked automatically once you step on the stool. Maximum load of up to 150 kg. Suitable for shops, warehouses and offices etc.

Item No	4111034200	4111034201	4111034202	4111034203
Colour RAL	Grey 7035	Black 9005	Blue 5005	Red 3020
Ø mm Top	283	283	283	283
Ø mm Bottom	433	433	433	433
Maximum load Kg	150	150	150	150
Weight kg	2,1	2,1	2,1	2,1
Height mm	410	410	410	410



STEP STOOL, 2 STEP METAL

Step stool of painted sheet metal with spring-loaded wheels. The stool is stable and secure and you can move it easily by pushing it slightly with your foot. When pressure is applied to the stool, the spring-loaded wheels are pressed in and the stool remains steady. The steps are covered in ribbed rubber in order to minimise the risk of slipping. Suitable for shops, warehouses and offices etc.



Item No	4072034300	4072034301	4072034302	4072034303
Colour RAL	Grey 7035	Black 9005	Blue 5005	Red 3020
Ø mm Top	289	289	289	289
Ø mm Bottom	433	433	433	433
Maximum load Kg	150	150	150	150
Weight kg	5	5	5	5
Height mm	410	410	410	410



STORAGE CABINETS

FOR OFFICE, ARCHIVE AND WAREHOUSE

Stable unassembled steel cupboard. Due to its clever design, it is easily assembled without any screws and tools.

- Espagnolette lock with three locking points.
- Supplied with 4 shelves!
- Loading capacity of 70 kg evenly distributed per shelf.
- Powder coated.
- In order to attach the panels, holes must be drilled in the desired places and the panels must be screwed tight.



Accessories for cabinets



Item No	4091071212	4091071012	4038074100	4038074102
Identification	telescopic drawer	telescopic drawer	Panel	Panel
Height mm	70	80	480	480
Width mm	640	840	896	666
Depth mm	330	420	18	18
Color RAL	Blue 5010	Blue 5010	Blue 5005	Blue 5005

Item No 4010071220



Item No 4010071010



Item No	4010071210	4010071211	4010071220	4010071221	4010071010	4010071011	4010071020	4010071021
Identification	Swed-180 Blue	Extra shelf Blue	Swed-180 Grey	Extra shelf Grey	Swed-3 Blue	Extra shelf Blue	Swed-3 Grey	Extra shelf Grey
Height mm	1800	20	1800	20	2000	20	2000	20
Width mm	800	795	800	795	1000	995	1000	995
Depth mm	400	355	400	355	500	460	500	460
Weight kg	46	0,5	46	0,5	64	1	64	1
Color RAL	Blue 5010	Blue 5010	Grey 7035	Grey 7035	Blue 5010	Blue 5010	Grey 7035	Grey 7035

STORAGE CABINETS

FOR OFFICE, ARCHIVE AND WAREHOUSE

Stable unassembled steel cupboard. Due to its clever design, it is easily assembled without any screws and tools.

- Espagnolette lock with three locking points.
- Supplied with 2 shelves.
- Prepared for wall mounting. Screws and plugs are included.
- Loading capacity of 70 kg evenly distributed per shelf.
- Powder coated.
- In order to attach the panels, holes must be drilled in the desired places and the panels must be screwed tight.

Item No 4010071215



Item No 4010071025



Item No	4010071015	4010071025	4010071215	4010071225
Identification	SWED 100 Blue	SWED 100 Grey	SWED 90 Blue	SWED 90 Grey
Height mm	1000	1000	900	900
Width mm	1000	1000	800	800
Depth mm	500	500	400	400
Weight kg	46	46	28	28
Color RAL	Blue 5010	Grey 7035	Blue 5010	Grey 7035



STORAGE CABINET ECONOMY

FOR OFFICE, ARCHIVE AND WAREHOUSE

Stable unassembled steel cupboard. Due to its clever design, it is easily assembled without any screws and tools.

- Espagnolette lock with three locking points.
- Supplied with 4 shelves!
- Loading capacity of 50 kg evenly distributed per shelf.
- Powder coated in blue with grey base or full grey.
- In order to attach the panels, holes must be drilled in the desired places and the panels must be screwed tight.

Item No	4010571601	4010571603
Identification	Economy-Blue	Economy-Grey
Height mm	1800	1800
Width mm	900	900
Depth mm	400	400
Weight kg	41,5	41,5



Item No 4010571601



CHEMICAL CABINET

Cabinet for chemical storage with ventilation in the doors. The cabinet is equipped with four adjustable tight welded shelves, designed as a collecting tray with 12 liter capacity.

- Espagnolette lock with three locking points.
- Supplied with 4 shelves.
- Loading capacity of 75 kg evenly distributed per shelf.
- Powder coated.
- RAL Grey 7035.

Item No	4010071520
Capacity per shelf kg	75
Height mm	1950
Depth mm	420
Width mm	920
Weight kg	57



Item No 4010071520



KEY BOXES

Smart stable key boxes for secure key storage.
Supplied complete with key tags.
The boxes are equipped with cylinder locks, including 2 keys.

- Powder coated.
- RAL Grey 7035.

Item No 4021071140



Item No 4021071130



Item No	4021071132	4021071130	4021071140	4021071134
Height mm	400	400	650	650
Depth mm	70	70	70	120
Width mm	350	350	350	350
Weight kg	4	6	8	12
Number of keys	30	60	100	200

Item No 4015071110



Item No 4015071120



SMALL STORAGE LOCKERS

Unassembled small storage lockers for storing personal belongings in workplaces, schools, hospitals, sports centres, shops, offices, etc. Supplied unassembled in flat-pack to ensure the best and cheapest transport.

Due to its very smart design, the lockers are assembled quick and easy without any tools and screws. The locker modules are provided with holes so that they can be assembled together in accordance with your own desires and, alternatively, for wall mounting. The lockers have recessed, hidden hinges and cylinder locks for secure storage.

- Powder coated.
- RAL Grey 7035.

Item No	4015071110	4015071120
Height mm	275	455
Depth mm	275	275
Width mm	355	355
Weight kg	5	7



STORAGE LOCKERS

Due to their smart design, they are easily assembled without any screws and tools.
Sloping roof for simple cleaning.

- Cylinder locks.
- Powder coated doors in RAL color blue 5010 or red 3020.
- Base in RAL Color grey 7035.



Accessories: Base kit,
Item No 4091071390
Base height: 100 mm



Accessories: Bench,
Item No 4091071395
Bench height: 260 mm



Accessories: Latch
for padlocks
Item No 4090071392

Item No 4011071353



Item No 4011071340



Item No	4011071340	4011071350	4011071342	4011071352
Identification	Blue/Grey	Blue/Grey	Red/Grey	Red/Grey
Number of doors	4	5	4	5
Height front edge mm	1830	1830	1830	1830
Height back edge mm	1920	1920	1920	1920
Width mm	350	350	350	350
Depth mm	550	550	550	550
Weight kg	29	31	29	31

Item No	4011071341	4011071351	4011071343	4011071353
Identification	Blue/Grey	Blue/Grey	Red/Grey	Red/Grey
Number of doors	8	10	8	10
Height front edge mm	1830	1830	1830	1830
Height back edge mm	1920	1920	1920	1920
Width mm	700	700	700	700
Depth mm	550	550	550	550
Weight kg	55	70	55	70

LOCKERS

Due to its smart design, it is easily assembled without any screws and tools. Sloping roof for simple cleaning. Well ventilated with a double ventilation grill.

- Cylinder locks.
- Powder coated doors in RAL color blue 5010 or red 3020.
- Base in RAL Color grey 7035.



Accessories: Base kit,
Item No 4091071390
Base height: 100 mm



Accessories: Bench,
Item No 4091071395
Bench height: 260 mm



Item No 4011071334



Item No 4011071332



Item No	4011071330	4011071332	4011071334	4011071336
Identification	Blue/Grey	Blue/Grey	Red/Grey	Red/Grey
Number of doors	2	4	2	4
Height front edge mm	1830	1830	1830	1830
Height back edge mm	1920	1920	1920	1920
Width mm	350	700	350	700
Depth mm	550	550	550	550
Weight kg	25	45	25	45



Accessories: Latch for padlocks
Item No 4090071392

LOCKERS

Due to their clever design, they are easily assembled without any screws and tools. Sloping roof for simple cleaning. Well ventilated with a double ventilation grill.

- Cylinder locks.
- Powder coated doors in RAL color blue 5010 or red 3020.
- Base in RAL Color grey 7035.

Item No 4011071310



Item No 4011071321



Accessories: Base kit,
Item No 4091071390
Base height: 100 mm



Accessories: Bench,
Item No 4091071395
Bench height: 260 mm

Item No	4011071310	4011071320	4011071311	4011071321
Identification	SWED-1 Blue/Grey	SWED-2 Blue/Grey	SWED-1 Red/Grey	SWED-2 Red/Grey
Number of doors	1	2	1	2
Height front edge mm	1830	1830	1830	1830
Height back edge mm	1920	1920	1920	1920
Width mm	350	700	350	700
Depth mm	550	550	550	550
Weight kg	25	45	25	45

Accessories: Latch for padlocks
Item No 4090071392



Z - LOCKERS

Due to its clever design, it is easily assembled without any screws and tools. Sloping roof for simple cleaning. Well ventilated with a double ventilation grill.

- Cylinder locks.
- Powder coated doors in RAL color blue 5010 or red 3020.
- Base in RAL Color grey 7035.

Item No 4011071362

Item No 4011071364





Accessories: Base kit,
Item No 4091071390
Base height: 100 mm

Accessories: Bench,
Item No 4091071396
Bench height: 260 mm

Item No	4011071360	4011071362	4011071364	4011071366
Identification	Blue/Grey	Blue/Grey	Red/Grey	Red/Grey
Number of doors	2	4	2	4
Height front edge mm	1830	1830	1830	1830
Height back edge mm	1920	1920	1920	1920
Width mm	400	800	400	800
Depth mm	550	550	550	550
Weight kg	25	45	25	45



TRANSPORT AND LIFTING



RuXXac HAND TRUCK

- The best quality on the market!
- When folded, extremely space saving.
- Patented folding technology - Ready to use in seconds.
- Comfortable steering due to synthetic handle.
- Unique load-securing system fixes load perfectly on the cart.
- Load capacity 125 kg.
- Solid rubber tires.

Item No 1910057420

Item No 1910057430

Item No 1910057410

When folded



Item No 1910057440

Item No 1910057450

Item No 1910057460



Item No	1910057410	1910057420	1910057430	1910057440	1910057450	1910057460
Identification	Business	Business XL	Exclusive	Parcel Cart	Cross	Jumbo
Loading capacity Kg	125	125	125	125	75	250
Height open cm	103	113	113	112	111	125
Height folded cm	68,5	73,5	73,5	-	72	87
Width cm	49	49	49	49	61,5	65,5
Thickness folded cm	5,5	5,5	5,5	8	12	10
Platform cm	49x25	49x41	49x41	49x41	48x41	57x34,5
Weight kg	5,4	5,9	5,9	6	6,3	12,8
Wheel Ø mm	Solid rubber 180 mm Ø	Solid rubber 180 mm Ø	Solid rubber 180 mm Ø	Solid rubber 185 mm Ø	Extra wide 185 mm Ø	Pneumatic 220 mm Ø
Frame material	Aluminum	Aluminum	Stainless steel	Aluminum	Aluminum	Aluminum

HAND TRUCK WITH LADDER

Practical, stable hand truck combined with ladder!
Perfect tool for the craftsman.

Item No	1910039101
Opening size LxWxD mm	880x500x410
Folded size LxWxD mm	1054x500x80
Material:	Steel tube, Stair:PP + Fiber
Net weight kg	8.5
Load capacity kg	135
Wheels mm	150x40 Rubber

Item No1910039101



COMBI HAND TRUCK IN ALUMINUM

3-position trolley with extra long loadplate if necessary. Easy to change position.

Item No	1910057391
Identification	A107
Loading nose plate mm:	700x200
Width of wheels mm:	470
Wheel type	Filled
Width mm	527
Height mm	1303
Weight kg	16
Capacity 2 wheels kg	250
Capacity 4 wheels kg	350



Art nr 1910057391



ALUMINUM HAND TRUCK, TOP QUALITY!

A106s strength has made it the most affordable AL trolley for moving the industry.

It is the best use for all areas within cargo handling. It is equipped with a folding loading plate, filled tiers, handle with protection for the hands, slide rails for stair climbing, strengthened holders for handles.

Item No	1910057390
Identification	A106
Loading plate mm: 370x270	320
Width of wheels mm: 470	470
Width of handle (Max width) mm	840
Wheel diameter mm	260
Height mm	1310
Weight kg	12
Capacity kg	250

Art nr 1910057390

Slide rails for
easy slideing
down in stairs.

Filled tiers.



NYLON HAND TRUCK

Light weight hand truck with a total weight of 9 kg and very easy to handle.

Item No	1910057801
Identification	Light Lift
Loading capacity Kg	150
Height mm	1170
Width mm	550
Wheel diameter mm	260
Wheel type	Filled
Load plate mm	360x220
Weight kg	9

Item No 1910057801



CLEANING TROLLEY

Cleaning trolley for indoor and outdoor use. Manufactured of a strong, powder coated tubular steel frame. The cleaning trolley has fittings for bin bags, two tube holders for cleaning equipment and a basket for storing bin bags, etc.

Item No	1910057007
Identification	CT
Loading capacity Kg	200
Height mm	1120
Width mm	730
Bin bag holder diameter mm	400
Total Lenght mm	1118
Wheel diameter mm	400x100
Wheel type	Pneumatic
Weight kg	30

Item No 1910057007



MAGAZINE TRUCK

Magazine truck with a fixed and a collapsible load plate.
Greater width between handles for easier handling with tool belts.
Wheel type: Solid PU foam, flat free.



Item No 1910057125

STANDARD TRUCK

Strong and robust standard truck.
Wheel type: Solid PU foam, flat free.



Item No 1910057130

MAGAZINE TRUCK

Strong and robust magazine truck.
Wheel type: Solid PU foam, flat free.



Item No 1910057005

DISTRIBUTION TRUCK

Strong and robust distribution truck.
Collapsible which makes it flexible and easy to transport. Side protection gives the load stability.
Wheel type: Solid PU foam, flat free.



Item No 1910057115

SACK TRUCK

Our new strong hand truck with 250 kg capacity. Robust in its construction with safety wheel guards, large fixed toe plate, an extra large foldable load plate and large puncture-free PU filled tires. The markets strongest and best alternative to a fantastic price due to our large production volume!



Item No 1910057020

Item No	1910057125	1910057130	1910057005	1910057115	1910057020
Identification	GPT	SST	LSP20	DT	HT 1826
Loading capacity Kg	250	250	350	150	250
Height mm	1190	1150	1200	1060	1110
Width mm	590	470	460	710	550
Wheel diameter mm	260	260	260	260	260
Wheel type	Filled	Filled	Filled	Filled	Filled
Load plate mm	470x340	420x350	330x250	470x320	515x335
Toe plate mm	420x200	450x70	-	-	410x170
Weight kg	16	18	16	16	18

STEP TRUCK

Strong and robust step truck with a Toe plate



Item No 1910057006

STEP TRUCK

Strong and robust step truck with a Toe plate and a loading platform.



Item No 1910057140

COMBI TRUCK

Strong and robust 3-position combi truck with a fixed loading platform.
Wheel type: Solid PU foam, flat free.



Item No 1910057135

DRUM TRUCK

Strong and robust drum truck. Supplied with a strap for safe drum handling.



Item No 1915057110

TYRE TRUCK

Flexible and easy-to-handle tyre truck for safe tyre transport.
High handles for simple and ergonomic use of the truck in a transport mode.
Wheel type: Solid PU foam, flat free.



Item No 1910057100

Item No	1910057006	1910057140	1910057135	1915057110	1910057100
Identification	SSPN35	TRK 200	3W	BTS	WT
Loading capacity Kg	200	200	250	250	200
Height mm	1300	1250	1310	1350	1665
Width mm	460	550	615	700	610
Wheel diameter mm	160	150	260	400	300
Wheel type	Solid rubber	Solid rubber	Filled	Pneumatic	Filled
Load plate mm	300x250	500x350	580x330	-	-
Weight kg	22	21	20	20	20

CLAX, THE CLEVER FOLDING CART

For materials handling in stores, service and office areas. Indispensable for a mechanic or salesman. Handy for the supermarket shopping.

Clax, the clever folding trolley:

- Can be collapsed quickly and easily at the push of a button.
- Has many useful features such as block brake, holding device for boxes, upward folding load platform and removable wheels for space-saving storage.
- Has two large load platforms for folding plastic boxes or beverage containers.
- Comes complete with one Folding Box, Size: 500x340Wx260mm deep inside (46-liters)



Item No	1925056100
Identification	CLAX
Upper tray capacity kg:	20
Lower tray capacity kg:	40
Total capacity kg:	60
Size assembled mm:	890x550x1030
Size folded mm:	670x470x110
Unit weight kg:	7,3



SHOP AND STORAGE TROLLEY

Stackable shop and storage trolley. A stable and flexible trolley with two shelves which can cope with a load of up to 300 kg. The surface is galvanised and the handle is covered in plastic for more comfortable use. 4 rubber-covered 125 mm castors with ball bearings for silent and easy handling.

Item No 1920057250

Item No	1920057250
Length mm	1030
Height mm	1020
Width mm	530
Capacity kg	300
Wheel diameter mm	125
Weight kg	22



PLATFORM TROLLEY

Platform trolley with two shelves. Solid steel frame and 10 mm-thick glued laminate board. Capacity of 150 kg evenly distributed per trolley. Supplied unassembled, incl. four rubber-covered castors, two with brakes.



Item No 1920057200



Item No 1920057210



Item No 1920057220



Item No 1920057230



Item No 1920057240




Item No.	1920057200	1920057210	1920057220	1920057230	1920057240
Capacity kg bottom shelf	75	75	75	75	75
Capacity kg top shelf	75	75	75	75	75
Carrying surface per shelf mm	425x765	425x765	425x765	510x710	510x710
Total length mm	830	830	830	766	766
Total width mm	465	465	465	580	580
Total height mm	985	985	985	945	945
Height between shelves mm	515	515	515	355	355
Wheel Ø mm	125	125	125	125	125
Weight kg	14	14	14	18	18

PV330 FOLDABLE SERVICE CART

Smart and flexible platform trolley. Folds easily when you are not using it or when transporting it or to save space. Perfect for builders, narrow warehouses and stores.

Item No 1925057026



Tool kit



Item No 1925057025



Item No.	1925057025
Total Capacity kg	75
Capacity kg per shelf	25
Carrying surface per shelf mm	590x370
Total length unfolded/folded mm	660/200
Total width unfolded/folded mm	430/430
Total height unfolded/folded mm	860/1070
Height between shelves mm	310
Height of the shelf rail mm	25
Wheel Ø mm	75
Weight kg	7

HEAVY DUTY TROLLEY

Large and sturdy shelf trolleys with two shelves. Adapted for heavy work in all environments. The 200 mm large wheels make the trolleys easy accessible even on uneven ground and takes with ease over thresholds and other obstacles that may exist in a workplace. The bright material on the shelves give a fresh look and a clearer overview of the goods placed on them.

Item No 1920057355



Item No	1920057350	1920057355
Capacity kg	500	500
Total length mm	1150	1350
Total height mm	875	875
Total width mm	700	800
Load plate mm	700 x 1000	800 x 1200
Wheel diameter mm	200	200

HEAVY DUTY TROLLEY


Strong trolleys of the absolutely highest quality. Well adapted for heavy and frequent handling of goods in the industry, warehouses, shops, etc. Flexible, you can select your design in accordance with your own needs. Supplied with four 200 mm solid rubber wheel, two with brakes.




Basic design



Short side end piece



Long side end piece



Item No	1920057310	1920057320	1920057330	1920057340
Capacity kg	800	800	800	800
Height without end pieces mm	285	285	285	285
Total height, incl. short side end piece	1050	1050	1050	1050
Total width, incl. short side end piece mm	890x520	1040x610	1040x710	1240x810
Load plate mm	835x455	985x555	985x655	1185x755
Wheel diameter mm	200x50 Solid rubber	200x50 Solid rubber	200x50 Solid rubber	200x50 Solid rubber
Weight without end pieces kg	15	20	25	35

ACCESSORIES SHORT SIDE END PIECE

Item No	1920057312	1920057322	1920057332	1920057342
Suitable for	1920057310	1920057320	1920057330	1920057340

ACCESSORIES LONG SIDE END PIECE

Item No	1920057314	1920057324	1920057344
Suitable for	1920057310	1920057320 / 1920057330	1920057340

PALLET CAGE / PACKAGE CAGES

Strong and robust pallet cages.
Easily and simply assembled
without any tools.

You can save storage space by
stacking the cages on
top of each other.

Item No 2340059214



Item No	2340059210	2340059212	2340059214	2340059216
Capacity Kg:	500 per cage	500 per cage	500 per cage	500 per cage
External dimensions mm LxWxH	1200*800*800	1200*800*1000	1200*800*1200	1200*800*1600
Weight kg	25	30	35	40

BICYCLE RACKS

Steady and stable bicycle rack for
both wall and flat ground use.

- Galvanized frames.
- Location Distance c / c 320 mm.

Item No 2412001005



Item No	2412001003	2412001005
Identification	Bicycle rack short	Bicycle rack long
Bikes pcs	3	5
Height mm	260	260
Length mm	730	1340
Depth mm	330	330
Own weight kg	5	9



CRATE / TRAY / CARTON TROLLEYS

Robust trolleys with a 600x400 mm carrying surface of durable ABS plastic for transportation of plastic crates, cartons, etc.

Item No 1925057632



Item No 1925057630



Item No 1925057631

Item No 1925057634



Item No	1925057630	1925057634	1925057631	1925057632
Identification:	PD 250A	PD 250A	PD 250B	PD 250C
Capacity Kg:	250	250	250	250
External dimensions: LxWxH	602x425x165 mm	602x425x165 mm	605x403x170 mm	605x403x170 mm
Weight kg:	2.8	2.8	3.8	9
Wheel diameter mm	Nylon 100 mm, 4 swivel wheels	Nylon 100 mm, 2 fixed wheels and 2 swivel wheels	Nylon 100 mm, 4 swivel wheels	Nylon 100 mm, 4 swivel wheels

TRAY / CARTON TROLLEYS

Strong galvanised crate and carton trolleys suitable for heavy and frequent use.

Available in designs with loading area dimensions: 600 x 400 and 800 x 600 mm.

4 swivel wheels.

Item No 1925057644



Item No 1925057640



Item No	1925057640	1925057644
Identification:	ZD 400A	ZD 400B
Capacity Kg:	400	400
External dimensions: LxWxH	620x420x150mm	820x620x150 mm
Weight kg:	7	9.5
Wheels mm:	Nylon 100	Nylon 100



MECHANICAL TRANSPORTER

Superb tool for moving machinery, furniture, cupboards and other bulky or heavy goods. Raised and lowered easily and safely using a crank.
Supplied in sets of two, straps included.

Item No	1951049506
Capacity kg / set	600
Lifting height mm	300
Load plate dimensions mm	225x120



Item No 1951049506

HYDRAULIC TRANSPORTER

For moving heavy machinery and furniture such as tool cupboards, safes or other heavy, cumbersome goods. The quality gearing in the pump handle makes it easy to lift all types of goods. The rubber-coated loading surface and the large easy to roll polyurethane wheels protect your goods!
Intelligently designed handle for best ergonomics and highest user protection.
Supplied in sets of two, straps included.

Item No	1951049518
Capacity kg / set	1800
Lifting height mm	250
Load plate dimensions mm	600x60




Item No 1951049518

TRANSPORT CORNER

For simple moving of furniture, machinery and other rectangular goods. Equipped with a ribbed rubber surface to protect the goods during transport.
One set includes 4 corners.

Item No	1951049000
Capacity kg	600
External dimensions mm	366x204x85
Load height above the floor mm	15
Wheel dimensions mm	50x20
Weight kg/set	8



Item No 1951049000

PLATFORM SCOOTER

For quick indoor transport of personnel and goods.
Scooter with parallel steering and solid rubber wheels with ball bearings.
Footplate with anti-slip protection and a powerful foot brake for the rear wheel. Wheels: 200 mm rubber.

Platform size 690x585 mm. Turning radius 1200 mm.
Total loading capacity 150 kg (incl. driver).

- Adjustable steering wheel



Item No 1918058020

FLEXIBLE ROLLER CONVEYOR

The flexible roller conveyor is adjustable and can easily be adapted as required. Vertically adjustable. Wheels with brakes. The rollers are a bit higher than the track, which means that goods wider than the track can be handled.

Item No 1211039000



Roller Stand
Item No 1211039002



- Easy to assemble sections to achieve the desired length.
- Chrome-plated rollers 42 x 500 mm.
- Recessed 419 mm/section.
- 4 wheels with brakes Ø 100 mm.
- 9 rollers/section.

Item No	1211039002
Capacity kg	75
Hight adjustable mm	650-1065
Bearing Roller width mm	320
Bearing Roller diameter mm	35
Spring shaft diameter mm	6,35

Item No	1211039000
Max length / section mm	1295
Loading capacity kg / section	136
CC roller / roller max extension mm	170
Distance between rollers mm	125
Adjustable height mm	660 - 940
Weight kg/set	27

MR200 DISPLAY TRUCK

Display truck for flexible use of 1/4 pallets.
Mechanical raise/lower function with foot pedal.

Item No 1151041820

Item No	1151041820
Capacity Kg	200
Min fork height mm	95
Max fork height mm	120
Fork length mm	580
Fork width mm	210
Weight kg	21



DISPLAY STACKERS

- The solution for stacking and moving display pallets
- This pallet truck provides a simple solution for handling 1/4 display pallets to and from a Euro pallet
- 2 steering castors
- 2 rubber bumpers ensure goods are set down gently
- Lifting and lowering via foot pedal or hand pump, depending of the model

Item No 1151041830

Hand Pump



Foot Pump



Item No	1151041830	1151041835
Capacity Kg	250	300
Min fork height mm	70	88
Max fork height mm	390	305
Fork length mm	580	605
Fork width mm	200	220
Overall length mm	910	900
Overall width mm	505	500
Handle height mm	1025	1180
Weight kg	40	50
Fork wheel mm	82 x 60 polyurethane	82 x 105 polyurethane



Item No 1114041404



Item No 1114041432

HIGH CAPACITY!

EUROLIFTER
 A strong alternative from Europe!
 The Eurolifter series of hand pallet trucks are manufactured in Europe. Available in three different colors to symbolize the capacity that we have on our previous models.

Item No	Capacity kg	Max lifting height mm	Min lifting height mm	Fork length mm	Fork width mm	Fork size mm	Steering wheel	Fork wheel mm	Weight Kg
1114041404	2000	200	85	1150	525	160x60	Poly 200x50mm	Poly/Bogie 80x93 mm	63
1114041432	2500	200	85	1150	525	160x60	Poly 200x50mm	Poly/Bogie 80x70 mm	65
1114041412	2200	200	85	1150	525	160x60	Nylon 200x50mm	Nylon/Single 80x93 mm	64
1114041410	2200	200	85	1150	525	160x60	Poly 200x50mm	Poly/Bogie 80x70 mm	62
1114041414	2200	200	85	800	525	160x60	Poly 200x50mm	Poly/Single 80x93 mm	55

Item No 1114041412



Item No 1114041410



Item No 1114041414



ER-A20 PTP

ER-A 20 is the most flexible pallet truck so far. Its unique feature with mechanical start assist will help you get the carriage rolling with heavy goods. It also gives you the advantage that it can mechanically climb over obstacles such as thresholds and take you up for slopes. It is equipped with an automatic braking function that makes it unique in ascending or inclined laden journey, it works as an emergency stop uphill. The brake is activated automatically when the help function is turned on. The brake can also be switched on manually if you need to park on a slope or on a flatbed truck. The truck has polyurethane wheels for quiet operation and a thermo-coated handle for comfortable grip even in cold environment.

Item No	1125041050
Capacity kg	2000
Min lifting height mm	85
Max lifting height mm	200
Fork length mm	1150
Fork size mm	160x48
Total width mm	540
Steering wheel 180x50	Polyurethane
Fork wheel 80x70 mm	Polyurethane/Bogie
Weight kg	75
Pump	AC Hydraulik



PL 2000 QUICKLIFT

- Quicklift function works up to 150 kg
- Lifts pallets in one pump stroke
- Overload valve
- Double climbing wheel
- Rounded fork ends simplify the handling of all goods
- Maintenance-free ball bearings
- Turning radius of 230 degrees
- Comfortable, coated handle
- Available in several fork lengths and wheel alternatives
- Quicklift is most suitable for lighter loads.

Capacity 2000 kg. (From August 2016 2500kg)

Item No 1115040004



OPTION: FOOT BRAKE!
Item no 1130041299

Item No	Max lifting height mm	Min lifting height mm	Fork length mm	Fork width mm	Fork size mm	Steering wheel 200x50 mm	Fork wheel mm	Weight Kg
1115040001	200	85	1150	540	160	Nylon	Nylon/Single 80x93 mm	75
1115040002	200	85	1150	540	160	Nylon	Nylon/Bogie 80x70 mm	75
1115040003	200	85	1150	540	160	Rubber	Poly/Single 80x93 mm	75
1115040004	200	85	1150	540	160	Rubber	Poly/Bogie 80x70 mm	75
1115041001	200	85	900	540	160	Nylon	Nylon/Single 80x93 mm	70
1115041002	200	85	900	540	160	Nylon	Nylon/Bogie 80x70 mm	70
1115041003	200	85	900	540	160	Rubber	Poly/Single 80x93 mm	70
1115041004	200	85	900	540	160	Rubber	Poly/Bogie 80x70 mm	70
1115041011	200	85	800	540	160	Nylon	Nylon/Single 80x93 mm	68
1115041013	200	85	800	540	160	Rubber	Poly/Single 80x93 mm	68

LONG FORK HAND PALLET TRUCKS

A new range of hand pallet trucks with long forks for handling of long goods or several pallets simultaneously. They are heavily reinforced to handle cargo up to 2 tons. They are equipped with polyurethane wheels to make it easier to get around on uneven ground as well as over smaller obstacles such as stone and debris that may be on the floor. Polyurethane wheels make the carriage quiet and smooth.


Item No	1125041640	1125041642	1125041644
Capacity kg	2000	2000	2000
Min lifting height mm	80	80	80
Max lifting height mm	200	200	200
Fork length mm	1500	2000	2500
Fork size mm	150x50	150x50	150x50
Total width mm	540	540	540
Steering wheel	Poly 180x50	Poly 180x50	Poly 180x50
Fork wheel	Poly 70x80	Poly 70x80	Poly 70x80
Weight kg	85	102	115



STOP IT

Unique stop-it brake in rubber that holds all types of pallet trucks in place during transport or simply keeps them in a permanent place in the workplace when they are not in use.

Dimensions mm: 310x310x40



Item No 8710000100

Item No 1891041700

- Saves storage space
- Protects the back and shoulders of the staff
- Less damaged goods
- Time gains
- Easier and faster handling
- Quick payback period



Turn@bout™



■ STANDARD TURNING RADIUS Ø 2540 mm

■ WITH Turn@bout™ Ø 1540 mm

We have been appointed a European distributor for a world-unique patented solution for hand and motorised pallet trucks which significantly simplifies the handling of the trucks, saves time and money and guards the backs and shoulders of the staff. Turn@bout is the marketing name of the product which comes from the English word for a complete turnaround. Turn@bout consists of two additional wheels which are installed on the fork and allow the truck to rotate freely on the site.

Cramped in the warehouse or on the truck platform? Difficult to put the hand truck in place in order to reach something? Install a Turn@bout manoeuvrability adapter to the hand truck and let the truck become an extension of your arm. The length of the truck becomes equal to the swing diameter and the space for manoeuvres improves by 72%. No more lifting, prizing and kicking in order to put the truck into position. The time gains realised through the easier and faster handling of the truck allow for a quick pay-off of the investment. In addition, you get less damaged goods, save storage space and guard the backs of your staff.

LOW PROFILE HAND PALLET TRUCKS

For handling of special pallets.

Item No	1140040007	1140040008
Capacity kg	1500	1000
Min lifting height mm	51	35
Max lifting height mm	175	90
Fork length mm	1150	1150
Fork width mm	520	520
Fork height mm	160	160
Steering wheel	Polyurethane 180x50 mm	Polyurethane 160x50 mm
Fork wheel	Polyurethane/ Bogie 50x70 mm	Steel/Bogie 35x60 mm
Weight kg	70	65



Item No 1140040008

SEMI STAINLESS AND STAINLESS HAND PALLET TRUCK

The stainless products is specially made for fishing , butchery - and pharmaceutical industries, places with high requirements for hygiene, environment and thorough cleaning. The pallet truck can be tailored with the opportunities seen on page 56 with the product details. As the vehicle is made of stainless steel, this means that it can withstand most instances of moisture and cleaning chemicals. You can choose the stainless steel qualities between 304 and 316. Alternativ wheel options is available.

Item No	1145040206	1145040207
Type	Stainless Pallet Truck	Semi Stainless Pallet Truck
Capacity Kg	2000	2500
Min lifting height mm	85	85
Max lifting height mm	200	200
Total width mm	520	520
Fork length mm	1130	1130
Fork size	160	160
Fork wheel	Nylon/Single	Nylon/Single
Steering wheel	Nylon	Nylon
Weight kg	76	76



Item No 1145040206

GALVANIZED HAND PALLET TRUCK

The galvanised steel truck are designed for tougher environments.

Item No	1115040203
Type	Galvanised
Capacity kg	2000
Min lifting height mm	85
Max lifting height mm	200
Fork length mm	1150
Total width mm	520
Fork width mm	160
Steering wheel 180x50	Nylon
Fork wheel (50x70 mm)	Nylon/Bogie
Weight kg	75



Item No 1115040203

AC 3000

The most robust and strongest hand pallet truck on the market! We offer a foot brake as an option (item no 1130041299), smart when you park on a truck's loading platform or an uneven sloping surface. The brake guarantees safety during transport; if you lose control over the load, press the brake and the truck will stop. Double climbing wheel.

Item No	1130041202	1130041204
Capacity kg	3000	3000
Fork length mm	1150	1800
Fork width mm	540	520
Max lifting height mm	200	200
Min lifting height mm	85	85
Fork wheel	Bogie/Pu* 80x70 mm	Bogie/Pu* 80x70 mm
Steering wheel 180x50	Polyurethane	Polyurethane
Weight kg	80	200

Item No 1130041204

STRONGEST!
LIFTS UP TO 3000 KG.

OPTION: FOOT BRAKE!
Item no 1130041299



ZF20 WEIGHING TRUCK, ACCURATE

Tolerance: $\pm 0,1\%$
IP 65
Battery: 4 pcs, LR6 included!
Single climbing wheel.

Item No 1820042001



Item No	1820042001
Type	Weighing
Capacity Kg	2000
Min lifting height mm	85
Max lifting height mm	205
Fork width mm	555
Fork length mm	1150
Fork size	180
Fork wheel Ø 74 x 70 mm	Pu*/Bogie
Steering wheel Ø 180 x 50 mm	Rubber
Weight kg	117



Item No 1820042004

HP-ESE-D WEIGHING TRUCK, INDICATION

Tolerance: ± 20 Kg
Graduation: 5 kg
Battery: 2 pc AA included!

Item No	1820042004
Type	Weighing
Capacity Kg	2000
Min lifting height mm	85
Max lifting height mm	200
Fork width mm	540
Fork length mm	1150
Fork size	160x50
Fork wheel Ø 70 x 80 mm	Bogie/ Polyurethane
Steering wheel Ø 180 x 50 mm	Polyurethane
Weight kg	75

Our new series of hand pallet trucks and high lifters made in Scandinavia!

We are experts in custom made and standard products within painted, semi stainless and 100% stainless in 304 and 316 qualities.

Valid for all products on page 56-59.

Special models

We can produce a pallet truck or high lifter to suit your specific requirements. There are many opportunities.

A pallet truck is available with following objectives:

- Minimum fork length: 400mm
- Maximum fork length: 3500mm
- Minimum outside fork spread: 320mm
- Maximum outside fork spread: 1500mm
- We can also produce special forks, example for paper rolls or boxes.

A high lifter is available with following objectives:

- Built-in charger
- Outside fork spread: 480mm or 685mm
- Fork length: 700mm to 2000mm
- Mounted with pneumatic aggregate
- Equipped with 220 V motor
- Photocell for automatically raise/lower function

We can also offer special colors, hand or foot parking break and different wheel variants.



100% STAINLESS

The stainless products is specially made for fishing , butchery - and pharmaceutical industries, places with high requirements for hygiene, environment and thorough cleaning. The pallet truck can be tailored with the opportunities seen on page 56 with the product details. As the vehicle is made of stainless steel, this means that it can withstand most instances of moisture and cleaning chemicals. You can choose the stainless steel qualities between 304 and 316.



PALLET TRUCK

The pallet truck is basically made of stainless steel. Pump cylinder made of bronze. Nut made of POM. Bolts, shafts , screws, and nuts and hollow roll pins are in stainless steel.

The pallet truck has a reliable closed hydraulic system with automatic neutral position valve. The polished pistons and cylinders ensures a long and reliable service life. The automatic free position means that when the drawbar is moved slowly it does not lift the forks. When the drawbar is moved more quickly it lifts the forks normally.



WEIGHING TRUCK

Weighing pallet truck has no limitations for the normal use of the truck. Weighing pallet truck can be used for full and half pallets as well as quarter- pallets. All components are of the highest quality.

The pallet truck has an accurate result with 4 integrated load- cells. Accuracy is 0.1% of the applied weight , robust and safe weighing due to highly developed mechanical construction and high quality electronics . The indicator shows gross and net weight . Features like multi interval , piece counting and RS232 output are standard features



HIGH LIFTERS

We can provide two different Highlifters with a capacity of 1000 kg. One manual high lifter and one with motor lifting. On both models lowering the cargo is done from the handle, either slowly or quickly, since lowering valve provides an infinitely variable lowering speed. Stainless highlifter, the chassis, drawbar , shafts , pins, pistons and screws made of stainless steel. Lift cylinder , legs and battery case is also made of stainless steel.

Choose your required specifications according the information on page 56

SEMI STAINLESS

Semi stainless steel products are manufactured to food industry and satisfies all hygiene requirements. In semi stainless steel pallet trucks the frame, drawbar, axle bolts and pins are made of stainless steel, while other parts are hot dip galvanized.

PALLET TRUCK

The pallet truck can withstand most occurring chemicals, such as moisture and detergents. Stainless steel and galvanized models like lacquered models has a simple and reliable hydraulic system with built-in automatic neutral position.



WEIGHING TRUCK, AS PALLET- OR HIGH LIFTER

Weighing pallet truck has no limitations for the normal use of the truck. Weighing pallet truck can be used for full and half pallets as well as quarter- pallets. All components are of the highest quality.

The weighing truck has an accurate result with 4 integrated load- cells. Accuracy is 0.1% of the applied weight, robust and safe weighing due to highly developed mechanical construction and high quality electronics. The indicator shows gross and net weight. Features like multi interval, piece counting and RS232 output are standard features




HIGH LIFTERS

We can provide two different highlifters with a capacity of 1000 kg. One manual high lifter and one with motor lifting. On both models lowering the cargo is done from the handle, either slowly or quickly, since lowering valve provides an infinitely variable lowering speed. Stainless highlifter, the chassis, drawbar, shafts, pins, pistons and screws made of stainless steel. While scissor legs and battery case are hot-dipped galvanized.



Choose your required specifications according the information on page 56



PAINTED

The painted pallet trucks are made for normal use in normal environments.

PALLET TRUCK

The pallet truck is light and maneuverable, it has a small turning radius, which makes it easy to work with.

The pallet truck is fitted with smooth-running wheels and have a simple and reliable hydraulic system with built-in automatic neutral position valve. The pallet truck has robust rounded fork noses. The design of the drawbar is strong and conical. It ergonomise design of the drawbar makes the truck easy to use from all angles.



WEIGHING TRUCK, AS PALLET- OR HIGH LIFTER

Weighing pallet truck has no limitations for the normal use of the truck. Weighing pallet truck can be used for full and half pallets as well as quarter- pallets. All components are of the highest quality.

The weighing truck has an accurate result with 4 integrated load- cells. Accuracy is 0.1% of the applied weight, robust and safe weighing due to highly developed mechanical construction and high quality electronics. The indicator shows gross and net weight. Features like multi interval, piece counting and RS232 output are standard features



HIGH LIFTERS

We can provide two different Highlifters with a capacity of 1000 kg. One manual high lifter and one with motor lifting. Manual lifting with 'Quick' boost function which operates by load under 100 kg. Electric high lift pallet truck, recommended that require many lifts in the course of a working day. On both models lowering the cargo is done from the handle, either slowly or quickly, since lowering valve provides an infinitely variable lowering speed.

Choose your required specifications according the information on page 56

SCISSOR LIFT

Manual scissor lift with a telescopic cylinder.
Automatic quicklift, 38 mm/ pump stroke up to 150 kg. 20 mm/pump stroke. 28-29 pump strokes to full height.

Above 150 kg the lift height per pump stroke is 20 mm.

Item No 1830043000



Item No	1830043000	1830043015
Piston type	Telescopic	Telescopic
Capacity Kg	1000	1000
Min lifting height mm	85	85
Max lifting height mm	800	795
Fork width mm	540	540
Fork length mm	1150	1500
Fork size	160	160
Fork wheel Ø 80 x 50 mm	Polyurethane	Polyurethane
Steering wheel Ø 180 x 50 mm	Rubber	Rubber
Weight kg	90	110

2-step piston, automatic quicklift.
With a fork length of 1150 mm or 1500 mm

SCISSOR LIFT

Manual scissor lift with a single cylinder.

22 mm/pump stroke.

Item No 1830043020



Item No	1830043020
Piston type	Single piston
Capacity Kg	1000
Min lifting height mm	85
Max lifting height mm	800
Fork width mm	540
Fork length mm	1150
Fork size	160x50
Fork wheel Ø 78 x 60 mm	Polyurethane
Steering wheel Ø 180 x 50 mm	Polyurethane
Weight kg	125

STAINLESS SCISSOR LIFT

Rust-proof scissor lift for tough climates and workplaces with high cleanliness requirements. Stainless steel quality 304.

2-step piston

Item No 1830043002



Item No	1830043002
Piston type	Telescopic
Capacity Kg	1000
Min lifting height mm	85
Max lifting height mm	800
Fork width mm	540
Fork length mm	1150
Fork size	160
Fork wheel Ø 80 x 100 mm	Nylon
Steering wheel Ø 180 x 50 mm	Nylon
Weight kg	90

SCISSOR LIFT

The compact design with a battery and a pump unit positioned between the chassis and cylinder provides superior manoeuvrability and accessibility.

Often used as an ergonomic aid for protecting the back, neck and shoulders. Possible to both pump and lower manually if the battery is out of power.

Lift without load - 11 sec.

Lift with load - 19 sec.

Electric scissor lift, single piston. Battery 12v/70 Ah. Built-in charger 5 A /12 V
Operating voltage of 220 V.

Item No 1832043010



Item No	1832043010
Piston type	Single piston
Capacity Kg	1000
Min lifting height mm	85
Max lifting height mm	800
Fork width mm	540
Fork length mm	1150
Fork size	160
Fork wheel Ø 50 x 75 mm	Polyurethane
Steering wheel Ø 180 x 50 mm	Polyurethane
Weight kg	169

LIFTING TABLE PL LBM

Manual lifting table, height adjustable with the crank. Two fixed wheels and two castors.

Item No 1860050301

Item No	1860050301
Identification	PL LBM
Capacity Kg	300
Min lifting height mm	450
Max lifting height mm	1050
Carrying surface mm	950x600
Total length with crank mm	1250
Total length without crank mm	1020
Load plate	Steel
Wheel Ø polyurethane	125
Cycles to max height	75
Weight kg	70



Also available with four swivel wheels. Add art.no 8611012834

LIFTING TABLE MANUAL

Hydraulic lifting table in four versions. Load capacity of 150 to 1000 kg. The lifting is easily adjusted with a foot pump and the lowering with a manual hand lever control. Two fixed wheels and two castors.

Item No	1860051015	1860051030	1860051050	1860051075	1860051100
Identification	SP150	SP300	SP500	SP750	SP1000
Capacity Kg	150	300	500	750	1000
Min lifting height mm	225	340	355	420	380
Max lifting height mm	740	900	900	1000	1000
Carrying surface mm	740x450	855x500	855x500	1000x510	1016x515
Load plate	Electro zink plated	Electro zink plated	Electro zink plated	Electro zink plated	Electro zink plated
Wheel Ø polyurethane	100	125	125	150	150
Cycles to max height	25	32	45	70	55
Handle	Foldable	Fixed	Fixed	Fixed	Fixed
Handle height mm	935	970	970	996	912
Weight kg	44	82	87	115	115



Item No 1860051075



Item No 1860051015

LIFTING TABLE MANUAL

Hydraulic lifting table with double scissors. The raising is easily adjusted with a foot pump and the lowering with a manual hand lever control. Two fixed wheels and two castors.

Item No	1860051035	1860051070
Identification	SPS350	SPS800
Capacity Kg	350	700
Min lifting height mm	350	475
Max lifting height mm	1300	1500
Carrying surface mm	910x500	1220x610
Load plate	Electro zink plated	Electro zink plated
Wheel Ø polyurethane	125	125
Cycles to max height	60	70
Handle	Fixed	Fixed
Handle height mm	970	962
Weight kg	105	172

Item No 1860051035



LIFTING TABLE ALUMINUM / STAINLESS STEEL

Stainless structure ideal for handling pharmaceutical, food, beverage etc. Dual brakes for added safety. Robust structure yet light weight. Aluminum light weight for easy handling.



Item No 1860055010



Item No	1860055010	1860055050
Identification	ALT10	BSS50
Capacity Kg	100	500
Min lifting height mm	265	442
Max lifting height mm	755	1000
Carrying surface mm	450x700	1010x520
Load plate	Aluminum	Stainless Steel #304
Wheel Ø polyurethane	100	150
Cycles to max height	35	48
Handle	Foldable	Fixed
Handle height mm	1000	1100
Weight kg	26	123

Item No 1860055050



ELECTRIC LIFTING TABLE

Electric lifting table on wheels. The table is lowered and raised with hand control. Two fixed wheels and two castors. Foot protection on the swivel wheels and brakes!



Item No 1865052050

Built-in 24V/4A charger

Item No	1865052050
Identification	PL 500-LB EL
Capacity Kg	500
Min lifting height mm	450
Max lifting height mm	950
Carrying surface mm	1010x520
Load plate	3 mm chrome-plated steel
Wheel Ø polyurethane	150 x 48
Time to max height	12 sec
Handle	Fixed
Handle height mm	990
Power pack	700W
Battery	70Ah/12V
Weight kg	148

STATIONARY LIFTING TABLES

Electric lifting tables for best ergonomics and working environment. The stationary electro-hydraulic lifting tables are suitable for all types of work and installations. Very useful in the industry and warehouses. Welded bottom frame and integrated hydraulics.

1321053150 & 1321053200 are equipped with two hydraulics.

We recommend to fix the table to the ground!

Item No	1321053100	1321053150	1321053200
Identification	PLN 1000	PLN 2000	PLN 3000
Capacity Kg	1000	2000	3000
Min table height mm	205	230	235
Max table height mm	990	1000	1000
Carrying surface mm	1300x800	1300x800	1300x800
Lifting speed loaded mm/sec	25	25	30
Power supply	400 V/16A	400 V/16A	400 V/16A
Hydraulic motor	1.1 kW	2.2 kW	2.2 kW
Weight kg	160	235	280
External dimensions underframe mm	1260x710	1260x710	1260x710

Item No 1321053100



- Simple control unit
- Safety frame

STATIONARY U-SHAPED LIFTING TABLE

Electric lifting table for best ergonomics and working environment.

Stationary electro-hydraulic U-shaped lifting table which is suitable for all types of work and installations. Very useful in the industry and warehouses. Welded bottom frame and integrated hydraulics.

- Simple control unit
- Safety frame

Item No	1321054100
Identification	U-shaped lifting table
Capacity Kg	1000
Min table height mm	85
Max table height mm	760
Carrying surface mm	1450x1140
Lifting speed loaded mm/sec	42
Lowering speed loaded mm/sec	48
Power supply	400 V/16Ah
Hydraulic motor	1.5 kW
Weight kg	235
External dimensions underframe mm	1340x1070

Item No 1321054100



STATIONARY LIFTING TABLE WITH RAMP

Electric lifting table for best ergonomics and working environment.

Stationary electro-hydraulic lifting tables with ramps which are suitable for all types of work and installations. Very useful in the industry and warehouses. Welded bottom frame and integrated hydraulics.

- Included ramp
- Simple control unit
- Safety frame

Item No	1321053250
Identification	Lifting table with ramp
Capacity Kg	1000
Min table height mm	85
Max table height mm	760
Carrying surface mm	1450x1140
Lifting speed loaded mm/sec	42
Lowering speed loaded mm/sec	48
Power supply	400 V/16Ah
Hydraulic motor	1.5 kW
Weight kg with ramp 250	250
External dimensions ramp mm WxB	1140x885

Item No 1321053250



LIGHT LIFTER / E100A-E250A

Light, flexible and easily manoeuvred lifting truck with a load plate as a standard design. Designed to relieve the back and shoulders in connection with all types of lifting.

Available in 3 models with a capacity of 100, 150 or 250 kg.

Equipped with Ø 75-mm swivel fork wheels and Ø 125-mm wheels with brakes.

Item No	1843044040	1843044042	1843044043
Identification	E100A	E150A	E250N
Capacity Kg	100	150	250
Lifting height mm	1700	1500	1800
Lifting speed unloaded/loaded	83/70 mm/s	83/70 mm/s	83/70 mm/s
Lowering speed unloaded/loaded	85/101 mm/s	85/101 mm/s	85/101 mm/s
Battery	24V/12Ah	24V/12Ah	24V/20Ah
Lifting motor	24 V drive motor	24 V drive motor	24 V drive motor
Load plate mm	600x470	600x470	610x480
Fork wheel Ø mm Polyurethane	75	75	75
Steering wheel Ø mm Polyurethane	125	125	125
Weight kg	66	63	90
Total height mm	1990	1790	2220
Total width mm	600	600	740
Total length mm	870	870	870



Item No 1843044040

Roll turner Item No 1233044046

ACCESSORIES


Single roll pike:
Ø 47 mm, length 600 mm.

Double roll pike:
Ø 47 mm, length 450 mm.


V block:
400x400 mm, maximum height 80 mm

Roll turner:
Maximum size Ø 500 mm and depth 250 mm. Inner Ø 74-80 mm.


V-Block Item No 1233044047



Double carpet boom Item No 1233044045



Single carpet boom Item No 1233044044



LIGHT LIFTER / LV-150

Light, flexible and easily manoeuvred lifting truck with a loading plate and forks underneath. It takes care of those lifts that are "harmful" to the body. Powerful when needed but occupies little space when not in use.

Suitable for many different applications in pharmacies, libraries, kitchens, shops, warehouses, the workshop industry, etc. Supplied with an external charger (charging capacity 24V/1.8 Ah), operating voltage 220 V.

Item No	1843044000
Identification	LV-150
Capacity Kg	150
Lifting height mm	1550
Lifting speed loaded	125 mm/sec
Lowering speed unloaded/loaded	85/101 mm/s
Battery	7 Ah/12V x 2
Lifting motor	24V drive motor
Load plate mm	460x520
Fork wheel Ø mm Polyurethane	75x32
Steering wheel Ø mm Polyurethane	100x32
Weight kg	58
Total height mm	1940
Total width mm	520
Total length mm	880

Item No 1843044000



MINI STACKER MANUAL OR ELECTRIC

Hydraulic stacker and mobile lifting table equipped with both forks and a detachable platform. Manual stacker with a foldable pump lever for lifting and a manual handle for lowering. The electrical stacker has a large battery and a built-in charger.

Item No 1841044211



Item No 1840044110



Item No	1840044080	1840044110	1840044115	1841044211	1841044215
Identification	PL-800 HST	PL-1100 HST	PL-1500 HST	PL-1100 HST-EL	PL-1500 HST-EL
Capacity Kg	400	400	400	400	400
Lifting height mm	85-850	85-1200	85-1500	85-1200	85-1500
Lifting speed loaded	20	20	20	80 mm/sec	80 mm/sec
Battery	-	-	-	12V/60Ah	12V/60Ah
Lifting motor	-	-	-	700 W	700 W
Fork width mm	550	550	550	550	550
Fork length mm	650	650	650	650	650
Fork wheel Ø mm Polyurethane	75x40	75x40	75x40	75x40	75x40
Steering wheel Ø mm Polyurethane	127x40	127x40	127x40	127x40	127x40
Weight kg	75	81	91	118 incl. battery	126 incl. battery
Total height mm	1074	1425	1725	1425	1725
Total width mm	600	600	600	600	600
Total length mm	1035	1035	1035	1100	1100


BALDER STACKER MANUAL OR ELECTRIC

A compact stacker of a stable design with ergonomic tilt. The pallet is raised to the correct work height and the sideways tilt makes the work comfortable and ergonomic. Available in manual and electric versions. The tilt is manual on both types. The design is very compact and is suitable for narrow spaces. Brakes on both wheels.

Item No	1840045510	1841045511
Identification	Ergo – Manuell	Ergo - EL
Capacity Kg	800	800
Lifting height mm	900	900
Lifting capacity / during tilting:	800/400	800/400
Total height mm	1230	1420
Total width mm	730	730
Total length mm	1630	1690
Fork length mm	1140	1140
Width above forks mm	540	540
Fork width mm	150	150
Fork height lowered mm	87	87
Weight kg	218	230 (without battery)
Swing radius mm	1500	1500
Lifting height/pump stroke loaded	18 mm -	-
Steering wheel mm	200x50	200x50
Fork wheel mm	82x90	82x90
Tilt angle	40°	40°
Battery	-	2x12 V / 60 Ah
Charger		External 10A/12V
Lifting speed with load	18 mm per pump stroke	50 mm /sec
Hydraulic motor	-	700 w / 12 V

TILT ANGLE 40°

Item No 1841045511



Item No 1840045510



MANUAL TILT



MANUAL STACKERS

Strong, robust and ergonomically designed stacker with a foot pump, protects both the back and the shoulders. It is also possible to use the handle to pump up the forks. The stackers are built for professional use and supplied with a foot brake on both wheels.

- Fork wheel & Steering wheel = Nylon

Item No 1840043161

Item No	1840043101	1840043161	1840043251
Identification	SDJ 10 1M	SDJ 10 1,6M	SDJ 10 2,5M
Capacity kg	1000	1000	1000
Min lifting height mm	90	90	90
Max lifting height mm	1000	1600	2500
Total height max mm	1490	2080	2925
Total height min mm	1490	2080	1838
Total width mm	755	755	755
Total length mm	1655	1655	1655
Fork length mm	1150	1150	1150
Fork width mm	170	170	170
Overall Fork width mm	550	550	550
Fork wheel Ø mm	Bogie 80 x 70	Bogie 80 x 70	Bogie 80 x 70
Steering wheel Ø mm	150 x 50	150 x 50	150 x 50
Turning radius	1380 mm	1380 mm	1380 mm
Weight kg	183	204	280



SEMI ELECTRIC STACKERS

Manually moved stackers with a battery-powered lifting motor. Ergonomic handling for frequent heavy lifts. The stacker is completely adapted to its work tasks. Loading and unloading, as well as stacking of palletized goods. The powerful battery provides a long operating time per charge. Foot brakes on both steering wheels.

Easy-to-service construction of the hydraulics, distribution box and battery.

- Efficient and ergonomic lifting tool.
- Supplied complete with a battery and charger.
- Easy-to-read battery indicator for control of the capacity of the battery.



Item No 1841043166



Item No 1841043085

Item No	1841043085	1841043166	1841043256	1841043356
Identification	PL 800 ST-EL	CDD 10B-III 1,6m	CDD 10B-III 2,5m	CDD 10B-III 3,3m
Capacity kg	1000	1000	1000	1000
Lifting height max mm	800	1600	2500	3300
Lifting height min mm	90	90	90	90
Total height max mm	1200	2090	3060	3797
Total height min mm	1200	2090	1840	2090
Total width mm	770	800	800	800
Total length mm	1720	1678	1678	1678
Fork length mm	1150	1150	1150	1150
Fork width mm	160	170	170	170
Fork height mm	56	60	60	60
Overall fork width mm	560	580	580	580
Lifting motor	1.5 kW	1.5 kW	1.5 kW	1.5 kW
Lifting speed with load mm/s	90	80	80	80
Lowering speed with/without load mm/s	120/100	150/120	150/120	150/120
Battery	12V/85 Ah	12V/120 Ah	12V/120 Ah	12V/120 Ah
Charger	12V/20Ah	12V/15Ah	12V/15Ah	12V/15Ah
Fork wheel Ø mm nylon	Bogie 82x80	Bogie 80x70	Single 80x70	Single 80x70
Steering wheel Ø mm nylon	180x50	180x50	180x50	180x50
Weight kg incl. battery	300	400	460	490
Turning radius mm	1280	1425	1425	1425

PT E12 / PT E15 MOTORISED PALLET TRUCK

Compact semi- or full electric pallet trucks. Semi electric version lifts manually and run electrically. Full electric version run and lift electrically. Small like a normal manual hand pallet truck. It protects the body from damages thanks to its protection frames. Support wheels on the sides to prevent the truck to become unstable during transport of goods with a high gravity.



Easily exchangeable battery.
Art.no 8212086012



Item No 1415045012

Item No	1415045012	1415045018
Identification	PT E12	PT E15
Capacity Kg	1200	1500
Min fork height mm	85	85
Lifting height mm	115	115
Centre of gravity separation	600	600
Fork width mm	540	540
Total width mm	540	574
Fork length mm	1150	1150
Total length mm	1686	1690
Driving speed with/without load km/h	4.0/4.5	4.2/4.6
Lifting speed with/without load mm/s	30/53	30/53
Lowering speed with/without load mm/s	Manual	50/48
Turning radius mm	1482	1485
Drive motor	0.45 kW	0.45 kW
Lifting motor	0.8 kW	0.8 kW
Battery V/Ah	2x12/45	2x12/64
Charger	External	Built-in
Fork wheel Ø mm Polyurethane	80 x 70	80 x 70
Drive wheel Ø mm	220 x 70	220 x 70
Weight kg incl. battery	170	190



Item No 1415045018

ECL10 PEDESTRAIN STACKER

The ECL is an economic walkie-electric stacker, with rated capacity of 1000kg an lifting hight 1600mm, 2900mm and 3500mm. The compact and light design is suitable for a variety low duty applications in warehouses.

Item No 1615045006



Item No	1616045003	1615045004	1615045006
Identification	ECL1016	ECL1029	ECL1035
Capacity Kg	1000	1000	1000
Min fork height mm	85	85	85
Lifting height mm	1530	2840	3440
Centre of gravity separation	600	600	600
Min support height	1950	1950	2250
Max support height	1950	3325	3925
Total width mm	800	800	800
Free lift mm	1530	70	70
Fork width mm	570	570	570
Fork length mm	1150	1150	1150
Driving speed without/with load km/h	4.5/4.3	4.5/4.3	4.5/4.3
Lifting speed without/with load mm/s	160/110	160/110	160/110
Lowering speed without/with load mm/s	110/130	110/130	110/130
Drive motor	0.45 kW	0.45 kW	0.45 kW
Lift motor	2.2 kW	2.2 kW	2.2 kW
Truck battery	85Ah/24V	85Ah/24V	85Ah/24V
Charger	Built-in	Built-in	Built-in
Fork wheel mm	Polyurethane 80 x 93	Polyurethane 80 x 93	Polyurethane 80 x 93
Drive wheel mm	220 x 70	220 x 70	220 x 70
Gradient capacity without/with load	5/10%	5/10%	5/10%
Brake	Electromagnetic	Electromagnetic	Electromagnetic
Speed regulation	Electronic impulse	Electronic impulse	Electronic impulse
Weight kg including battery	430	510	540
Turning radius mm	1485	1485	1485
Overall length	1800	1800	1800
Ground clearance centre of wheelbase	29	29	29

TE10 ELECTRIC TOW TRACTOR

To tow and pull different types of trolleys and other wheeled goods. Four different connections follows in each delivery.

Item No	1418048100
Identification	TE 10
Capacity towing Kg	1000
Axle loading, unladen front/rear kg	46/16
Driving speed with/without load km/h	4.2/4.5
Swing radius mm	475
Height of tiller in driving position min/max mm	750/1250
Drive motor	0.3 kW
Drawbar Pull unladen N	200
Max. Drawbar Pull unladen N	450
Battery	24Ah
Charger	External
Tire size rear Ø mm Polyurethane	75 x 80
Drive wheel Ø mm	250 x 80
Total width mm	460
Weight kg incl. battery	62



Item No 1418048100



LARGE AND STRONG COLLISION AND MACHINE PROTECTION

To protect the workplace, machines, pallet racks, etc.
Block or mark. As standard they are painted yellow to
ensure the best visibility.

Item No	2533033001	2533033002	2533033003
Identification	High-profile protection	Low-profile protection	Post
Height mm	1060	230	915
Length mm	1220	1220	114
Mounting plate mm	203x203	203x203	203x203
Pipe mm (Diameter)	114	114	114
Weight kg	47	27	27

Item No 2533033003



Choose your own
suitable color on order
over 50 pieces.

Item No 2533033001



Item No 2533033002



FORK EXTENSIONS BLACK OR GALVANIZED WITH COVERED BOTTOM

Strong truck forks with covered bottoms and pin for locking to the truck.
Recommended for frequent use.

Item No	2520032006	2520032007	2520032008	2520032009
Fork extensions for max LxHxW mm	1800x45x100	2200x45x100	1800x45x125	2200x45x125
Weight kg	40	50	50	60

Item No 2520032007



Item No 2520032221



Item No	Fork extensions, length mm	Inside width in fork pockets mm	Suitable for fork size mm	Weight kg	Capacity ton
2520032215	1800	115	40x100	50	2,5
2520032216	2000	115	40x100	52	2,5
2520032227	2200	115	40x100	60	2,5
2520032217	2500	115	40x100	66	2,5
2520032218	2000	135	40x120	66	3
2520032225	2200	135	40x120	74	3
2520032219	2000	140	50x125	70	4
2520032220	2200	140	50x125	78	4
2520032221	2500	140	50x125	116	4
2520032222	3000	140	50x125	140	4
2520032223	2000	165	60x150	140	7
2520032228	2200	165	60x150	144	7
2520032224	2500	165	60x150	166	7
2520032231	3000	165	60x150	194	7
2520032229	2500	165	70x150	176	11
2520032230	3100	165	70x150	222	11



Item No 1221046030

CRANE FORKS

Self-balancing crane forks for handling of pallets with cranes, hoists, winches, etc.
Both models have adjustable support heights and fork widths to suit all needs. The max goods height can be set at between 1300 and 2000 mm.

Item No	1221046015	1221046030
Identification	CY 15	CY 30
Capacity kg	1500	3000
Fork length mm	1000	1000
Fork width mm	Adjustable in 5 steps from 350 to 900 mm.	Adjustable in 5 steps from 450 to 900 mm.
Lifting eye height mm	Adjustable in 3 steps from 1655 to 2355 mm.	Adjustable in 3 steps from 1720 to 2420 mm.
Automatic setting minimum load kg	300	600
Weight kg	165	280




FORK TRUCK CRANE

Practical truck crane for lifting heavy machinery, moving motors, etc. The crane can be adjusted vertically to 40° in three positions from the horizontal one. Total length with the arm extended is 3500 mm. Total width is 500 mm. Fork tunnels internal – 160x60 mm. Equipped with a fork lock.



Item No 1221046010



Item No	1221046010
Fork tunnels internal dimensions mm	160x60
Length between mm	2220 - 3500
Capacity between kg	2300 - 440
Total width mm	500
Weight kg	165

FORK TRUCK CRANE

Converts a forklift truck into a mobile hoisting crane in a couple of seconds. Equipped with a fork lock and a catch to ensure the highest level of safety.

Item No	1221046008
Fork tunnels internal dimensions mm	180x60
Length between mm	2138 - 3741
Capacity between kg	3000 - 606
Total width mm	460
Total height mm	324
Weight kg	160

Item No 1221046008




LIFTING BLOCK

Strong lifting blocks for truck forks. Quickly transforms a fork lift truck into a mobile crane. Adjustable along the length of the forks. Attaches to the forks with a screw handle. The hook is fixed and equipped with a catch.



Item No 1221046044



Fork chanel internal dimentions:

Item no 1221046040:
A=100 mm, B=150 mm, C=400 mm, D=75 mm.

Item no 1221046042:
A=290 mm, B=160 mm, C=610 mm, D= 80 mm.

Item no 1221046044:
A=250 mm, B=200 mm, C=650 mm, D=100 mm.

Item No	1221046040	1221046042	1221046044
Identification	MK10	MK25	MK50
Capacity Kg	1000	2500	5000
Max fork dimension mm	135x50	145x60	185x75
Weight kg	14	26	49

WORKSHOP CRANE

- Quicklift/double acting pump.
- (Applies to Item No 1221046000).
- Chrome-plated piston.
- Safety valve.
- Easy to move.
- Easily collapsible for flexible storage
- (Applies to Item No 1221046000).

Item No	1221046000	1221046005
Lifting capacity in 3-4 positions kg	700-800-1000	700-800-900-1000
Boom length in 3-4 positions mm	1230-1380-1530	1540-1760-1980-2200
Boom height mm	0 -2450	0 -2400
Weight kg	150	103



Item No 1221046000



Item No 1221046005

Suitable for Euro Pallets

Item No 1221046000
When folded



HYDRAULIC JACKS

Powerful tool for heavy lifting. Equipped with a practical handle. Available in two versions, with a capacity of 3 or 8 tonnes. The lifting claw is adjustable in three positions. Low minimum height for the lifting claw. The TG series is extremely suitable for all types of service and installation work of machinery.

Item No	1340057753	1340057754
Identification:	TG 30	TG 80
Capacity:	3 TON	8 TON
Lifting/stroke mm	140	140
Minimum lifting height mm	15	20
Maximum lifting height mm	155	160
Weight kg:	21.5	28




Item No 1340057753

MACHINE JACK

Strong and robust jacks for the heaviest lifting of machinery etc. 2-position lifting, either from the claw or the top. Equipped with a handle and wheels for simple and quick moving. The TB series is extremely suitable for all types of service and installation work of machinery.

Item No	1340057756
Identification:	TB 200
Lifting capacity claw	12 TON
Lifting capacity top	15 TON
Lifting/stroke mm	140
Lifting height top mm	325-545
Lifting height claw mm	40-260
Weight kg	69



HYDRAULIC JACKS

Strong highcapacity jacks.
Extra low lifting height with 2-position lifting claw in order to be able to gain access to places which are low.
Equipped with wheels for simple and quick moving.

Item No	1340057760	1340057762
Identification:	HFJ-400	HFJ-700
Capacity:	4 TON	7 TON
Maximum lifting height mm	430	420
Minimum lifting height mm	65	65
Width mm	203	250
Weight kg	35	53

Item No 1340057762



Item No 1340057760



RACK AND PINION JACK

Equipped with strong housing construction and stable footplate Manufactured in hardened materials. The jacks are designed so that both the lifting claw and the crown (the top) can be used for lifting. Foldable crank makes transport and storage easy.

Item No	1340057740	1340057742
Capacity tonne	3	10
Lifting height claw mm	65-350	35-300
Lifting height top mm	725-1075	725-1100
Total height mm	725	800
Weight kg	20	40

Item No 1340057740



Item No 1340057742



SUPPORT STANDS

Strong support stands with 3 height positions. Suitable, for lifting of forklift trucks, heavier machinery, etc. Sold in pairs.

Item No	2531057764	2531057766
Identification	HT-6	HT-9
Capacity	12 TON/Pair	18 TON/Pair
Lifting height mm	242-420	242-415
Weight kg	20	40



Item No 2531057764



Item No 2531057766

HYDRAULIC JACK UNIVERSAL

Compact, flexible, extra low and reliable design. It lifts with the lift foot or the top of the lift body. The body can rotate 360 degrees, which makes it unique. Jack Universal is suitable for all types of repair, maintenance and installation work. Stepless lowering speed and overload protection.

Item No	1340057750
Capacity ton	10
Lifting height foot mm	30-260
Lifting height top mm	420 -650
Weight kg	35



Item No 1340057750



WHEELED HAND LEVER

Long and strong wheeled hand lever. Manual lifter on wheels which lifts the goods the first couple of millimetres from the floor level so as to enable the use of a hydraulic jack or machine rollers.



Item No 1951057700

Item No	1951057700
Capacity TON	1.5
Length mm	200
Weight kg	13
Wheel diameter mm	100
Wheel width mm	55
Wheels	Steel

MACHINE ROLLERS


Strong and flexible machine rollers for handling of heavy goods weighing between 2 and 24 tonnes. All of them have a loading surface covered in rubber to protect the transported goods.

CM60-N can be set at between 500 and 1400 mm.

CM60-N and CM240-N can be set at between 720 and 1500 mm.

Supplied in sets where each set consists of two machine rollers and two steel rods.

Item No	1952057726	1952057728	1952057730
Identification:	CM60-N	CM120-N	CM240-N
Capacity:	2x3 TON	2x6 TON	2x12 TON
Number of wheels:	8	12	16
Wheels:	Polyurethane 90x85	Polyurethane 90x85	Steel 85x83
Dimensions: LxWxH	300x250x115	360x220x115	360x220x115
Weight kg:	30	38	65



Item No 1952057730

Item No 1952057730

2x12 24 TON



Item No 1952057728

2x6 TON



Item No 1952057726

2x3 TON



MACHINE ROLLERS

Powerful machinery transporters for handling of heavy goods weighing between 2 and 24 tonnes. All of them have a loading surface covered in rubber to protect the transported goods. Models with towing rods have a swivel wheel and the carrying plate follows the direction of the tow road for flexible and safe movement. Sold separately.

Item No 1951057702



Item No 1951057712




Easy to connect to each other both on the short and long side.

Item No	1951057702	1951057704	1951057706	1951057712	1951057724
Identification:	AS20-N	SS40-P	SS60P	AS120-N	SS240-P
Capacity:	2 TON	4 TON	6 TON	12 TON	24 TON
Number of wheels:	2	4	8	8	16
Wheels	Nylon 82x100 mm	Polyurethane 82x100 mm	Polyurethane 82x100 mm	Nylon 115x60 mm Polyurethane	115x60 mm Polyurethane
Dimensions: LxWxH	270 x 115 x 110 mm	310 x 250 x 110 mm	385 x 560 x 110 mm	345 x 400 x 145 mm	415 x 1120 x 145 mm
Weight kg:	7.5 kg	16 kg	50 kg	40 kg	130 kg

Item No 1951057706


Item No 1951057724

Item No 1951057704





ENVIRONMENTAL HANDLING



WORK CAGES


For safe personal lifts. Provided with anti-slip floors, double safety chains to the locking pin and spring lock on the gate.

The cages meet the requirements of the Swedish standards according to SS 3628.

A first time inspection of cage and truck must be carried out by an accredited company according to AFS 1993:1.

Powder coated.

Item No	1250065001	1250065002	1250065003
Size mm	800x800	1200x800	1200x1200
Total height mm	1990	1990	1990
Number of persons	1	1	2
Permitted total weight kg	200	250	500
Weight kg	60	80	110



Fork channel internal dimensions:
A=210 mm, B=225 mm, C=660 mm, D=80 mm.



FOLDABLE WORK CAGE

Practical, foldable lift cage. Assembled by one person in less than 30 seconds. The cage has an anti-slip floor. Equipped with fork locks to ensure the highest level of safety. Equipped with two wheels for simple and quick moving without a truck. Transported easily and flexibly in, e.g. smaller delivery vans, etc. The cages meet the requirements of the Swedish standards according to SS 3628.

A first-time inspection of cage and truck must be carried out by an accredited company according to AFS 1993:1.
Powder coated.

Item No	1250065010
Total lifting capacity kg	300
Length x Width mm	1000x1000
Height collapsed mm	350
Height during use mm	1960
Weight kg	100

DRUM LIFTER FL 300

The drum lifter is designed for handling of 200-litre drums. Automatically locks the drum during lifting. It can lift drums in and out of most transport vehicles. Simple lift with a foot pedal and lowering with a manually operated dead man's hand grip.

- Total height to maximum height for both lifters 1920 mm,
- Dimensions between support legs = 870 mm.
- Supplied unassembled.

Item No	1851054300	1851054310
Identification	FL 300 A	FL 300 AH
Capacity kg	300	300
Lifting height mm	700	700
Fork wheel Ø mm	65 Nylon	125 Nylon
Steering wheel Ø mm	80 Nylon	125 Nylon
Weight kg	67	70



Item No 1851054310

FlatPack

DRUM & TYRE TROLLEY

For handling of 200L drums, tyres or other loads with circular bottoms. Welded steel design. High stability.

Item No	1915054000
Capacity kg	300
Internal diameter Ø mm	598
Total height mm	157
Wheel Ø mm	75
Weight kg	9.5



Item No 1915054000



DRUM STACKER WITH TILT FUNCTION

The drum lifter is designed for lifting and tilting of 200-litre drums. Excellent tool for emptying and stacking drums. Safe and simple lifting with a foot pedal. The drum tilt is operated with a manually operated crank. Distance between support legs = 870 mm

Item No	1851054140
Identification	PL 1400
Capacity kg	350
Lifting height mm	1400
Fork wheel Ø mm	74x70 Nylon
Steering wheel Ø mm	180 Nylon
Weight kg	155
Total width mm	1070
Total height mm	2020
Total length mm	1240

Item No 1851054140



DRUM CLAMP UNIT

Automatic clamping unit for all types of drums. The unit is mounted directly on to the truck's forks and is locked in place with wing nuts. When the drum is lifted, it is automatically locked in place by the unit's arms.

Item No	1222054401
Identification	DG40
Capacity kg	300
Total length mm	1070
Total width mm	700
RAL Colour	3020
Weight	60
Internal dimensions of the fork channels	178x58 mm



Item No 1222054401

DRUM GRIP

Safe and flexible drum tongs for horizontal lifting of 210-litre drums with rims or rings. Suitable for placing drums on drum pallets, stands, etc. Semiautomatic locking device. The grapples are locked in an open position and lowered down to the drum. Once they are subsequently released, they lock automatically under the rim during lifting. Capacity of 500 kg, weight of 5.2 kg.



DN 500

Item No 1222054405

DRUM CLAMP

Safe and flexible drum tongs for horizontal lifting of 210-litre drums with rims or rings. Fast and simple handling from cranes or trucks. Capacity of 350 kg, weight of 9.5 kg.



DL 350

Item No 1222054400

DRUM GRIP UNIT

Automatic clamping unit for lifting and transporting steel drums by truck. The unit is easily fitted to the truck's forks and locked in place with wing nuts. Automatically grips the drum and holds it securely in place during transport. The height of the device is adjustable to fit all sizes of steel drums. Available in versions for handling of 1 or 2 drums at the same time.



Item No 1222054420



Item No	1222054410	1222054420
Identification	DG360A	DG720A
Capacity kg	360	720
Total length mm	850	850
Total width mm	670	910
Total height mm	930	930
RAL Colour	3020	3020
Weight	45	62
Internal dimensions of the fork pockets	150x55 mm	150x55 mm
Fork opening mm	500	590

Item No 1222054410



SPILL TRAY

Spill tray for a safe storage of chemicals in drums, jerry cans, bottles, etc. It can also be used to hold spare and machine parts during service of machinery and vehicles. Manoeuvred with hand trucks, stackers or forklifts.

Item No 2314021110

Item No	2314021110
Volume L	260
Height mm	350
Width mm	800
Length mm	1250
Weight kg	40



PALLET TRAYS

Pallet trays for a safe storage of chemicals in drums, jerry cans, bottles, etc. They can also be used to hold spare and machine parts during service of machinery and vehicles. The pallet trays are intended to be used together with Euro pallets.

Item No	2314021215	2314021240
Volume L	150	400
Height mm	160	415
Width mm	810	810
Length mm	1250	1250
Weight kg	24	38

Item No 2314021240

Item No 2314021215



GALVANIZED OPEN DRUM PALLETS FOR STANDING DRUMS

Item No	2311020011	2311020021	2311020041
Volume L	220	260	380
Number of drums	1	2	4
Length mm	950	950	1250
Width mm	950	1250	1250
Height mm	350	300	300



OPEN DRUM PALLETS FOR STANDING DRUMS

Item No	2311020010	2311020020	2311020040
Volume L	220	260	380
Number of drums	1	2	4
Length mm	950	950	1250
Width mm	950	1250	1250
Height mm	350	300	300

Item No 2311020020



ACCESSORIES: Wheel set:
(2 fixed wheels & 2 castors)

Choose between nylon 150 mm
or rubber 160 mm.

Wheel set/nylon = Item No 8611019030

Wheel set/rubber = Item No 8612019031

Item No 2311020020 + 8611022040



Trolley unit Item No
8611022040 contains a
pushing handle and a wheel
set in nylon (8611019030).

DRUM PALLETS WITH SAFETY RAILING FOR STANDING DRUMS

Item No	2311020012	2311020022	2311020042
Volume L	220	260	440
Number of drums	1	2	4
Length mm	950	950	1250
Width mm	950	1200	1200
Height mm	910	910	910

ACCESSORIES: Wheel set:
(2 fixed wheels & 2 castors)

Choose between nylon 150 mm
or rubber 160 mm.

Wheel set/nylon = Item No 8611019030

Wheel set/rubber = Item No 8612019031

Item No 2311020022



ENCLOSED DRUM PALLETS FOR STANDING DRUMS

Item No	2311020013	2311020023	2311020043
Volume L	220	260	380
Number of drums	1	2	4
Length mm	950	950	1250
Width mm	950	1280	1280
Height mm	1330	1330	1330

Item No 2311020023

ACCESSORIES: Wheel set:
(2 fixed wheels & 2 castors)

Choose between nylon 150 mm
or rubber 160 mm.

Wheel set/nylon = Item No 8611019030


Wheel set/rubber = Item No 8612019031



DRUM PALLETS FOR LAYING DRUMS

Item No	2311021010	2311021020	2311021022
Volume L	260	440	440
Number of drums	1	2	4
Length mm	950	1550	1550
Width mm	1250	1250	1250
Height mm	580	580	1280

Item No 2311021010



Item No 2311021022

ACCESSORIES: Wheel set:
(2 fixed wheels & 2 castors)

Choose between nylon 150 mm
or rubber 160 mm.

Wheel set/nylon = Item No 8611019030

Wheel set/rubber = Item No 8612019031

DRUM PALLETS FOR 1 OR 2 CIPAX CONTAINERS

Item No	2311021101	2311021102
Volume L	1100	1200
Number of drums	1	2
Length mm	1310	2530
Width mm	1310	1310
Height mm	750	450

Item No 2311021102

Item No
2311021101



ACCESSORIES: Wheel set:
(2 fixed wheels & 2 castors)


Choose between nylon 150 mm
or rubber 160 mm.

Wheel set/nylon = Item No 8611019030

Wheel set/rubber = Item No 8612019031

TOOL TROLLEY

Robust tool trolley for secure storage of tools on building sites, etc. Strong lock with 3 locking points. Equipped with four solid rubber wheels, two of which are equipped with brakes, 160 mm in diameter. Also suitable for use as a work-table. Powder coated.



Including a movable shelf and a hole for cables.



Item No
2018017040

Item No	2018017040
Size LxWxH	1100x660x870
Max load kg	600
Wheel Ø mm solid rubber	160
Weight kg	63

BOTTOM DISCHARGING CONTAINERS

Always easy to empty as the whole bottom opens. Automatic opening and locking after emptying. It should be emptied by a forklift truck or a stacking truck. It can be moved with most forklift trucks and fork lifting devices available on the market.

Powder coated.
Stackable.
Also available with a factoryfitted cover.

Item No 2017018100



Item No	2017018070	2017018100	2017018180
Identification	BTC 07	BTC 10	BTC 18
Capacity kg	800	800	800
Volume L	700	1000	1800
Length mm	1200	1200	1600
Width mm	800	900	1000
Height mm	900	1100	1300
Weight kg	115	149	224

ACCESSORY FLAT LID (FACTORY FITTED)

Item No	2511018079	2511018109	2511018189
Fitted to	18070 (BTC 07)	18100 (BTC 10)	18180 (BTC 18)



120 L



360 L



120 L



240 L

REFUSE BINS

Volume L	120	240	360
Width mm	460	570	700
Height mm	950	1000	1100
Depth mm	550	740	850
Steering wheel mm	200x50	200x50	200x50
Capacity kg	60	120	160
Colour	Grey	Grey	Grey

REFUSE BINS 120 L

Item No	2112031102	2112031103	2112031106	2112031107
Colour	Green	Red	Blue	Grey

REFUSE BINS 240 L

Item No	2124031202	2124031203	2124031206	2124031207
Colour	Green	Red	Blue	Grey

REFUSE BINS 360 L

Item No	2136031302	2136031303	2136031306	2136031307
Colour	Green	Red	Blue	Grey

BIN DISCHARGER FOR FORKLIFT TRUCKS

For simple and flexible emptying of refuse bins. Suitable for plastic bins from 40 to 400 litres. Distance between fork tunnels of 760 mm, Fork tunnel width of 180 mm. Total width of 1120 mm. Total length of 1430 mm (incl. hooks). Powder coated. Blue RAL 5019.

Item No 1224031000

Item No	1224031000
Fork tunnel distance mm	760
Fork tunnel width mm	180
Total width mm	1120
Total length mm (incl. hooks)	1430
Suitable for bins of between	40 and 400 Litres
Weight kg	39



TILTING SKIPS



- Tilting skips are the industry's best tool for waste assorting and material handling.
- Designed, reinforced and powder coated to provide maximum safety and service life.
- Spring pressure plate on the base frame for automatic tilting.
- Also with manual tipping.
- Other sizes are manufactured on request.

TIPPO have reinforcements in the right places in order to deal with rough handling.

- Corner reinforcements improves the stiffness of the containers.
- Reinforced fork channels.
- The stop lug is well dimensioned in order to deal with the forces it can be exposed to.
- The automatic tipping function does not only provide greater efficiency, it also raises safety during emptying at greater heights as TIPPO cannot slide from the forks.



CHOOSABLE COLORS FOR ALL TILTING SKIPS

	BLUE	= Paper	Color no: (RAL 5019)
	RED	= Environmentally hazardous	Color no: (RAL 3020)
	WHITE	= Plastic	Color no: (RAL 9010)
	ORANGE	= Flammable	Color no: (RAL 2008)
	YELLOW	= Textile	Color no: (RAL 1021)
	BROWN	= Compostable	Color no: (RAL 8017)
	GREEN	= Glass	Color no: (RAL 6032)
	GREY	= Metal	Color no: (RAL 7042)
	Black		Color no: (RAL 9005)

Tilting skips are exceptionally suited for waste assorting. They can be supplied in colours as recommended by the public waste collection service or to suite your need.




Item No 2011010-	015	030	060	090	110	160	200	250	300
Identification	Tippo 150	Tippo 300	Tippo 600	Tippo 900	Tippo 1100	Tippo 1600	Tippo 2000	Tippo 2500	Tippo 3000
Volume cubic	0.15	0.3	0.6	0.9	1.1	1.6	2.0	2.5	3.0
Volume Litre	130	320	520	765	1030	1340	1700	2050	2500
Length mm	815	1235	1525	1525	1700	2073	2073	2073	2073
Width mm	760	840	865	1215	1215	1066	1316	1566	1866
Height mm	580	750	870	870	1045	1248	1248	1248	1248
Weight kg	55	80	101	122	157	205	253	288	321
Capacity kg	1200	1500	2000	2000	2000	2000	2000	2000	2000

Sizes from 150 litres up to and including 1600 litres have the following base frame dimensions:

A=160 mm, B=230 mm, C=630 mm, D=100 mm.

Sizes from 2000 litres up to and including 3000 litres have the following base frame dimensions:

A=560 mm, B=230 mm, C=1035 mm, D=100 mm.



Item No 2011010030 + 8611019030



TILTING SKIPS STAINLESS STEEL #304


Tilting skips in stainless steel grade 304 for use within material- and waste handling in harsh environments and in the food industry. On request, you can also get these tilting skips in stainless steel grade 316, which is also acid-resistant! Can also be equipped with a nylon wheel set with steel parts in grade 304, article number 8611019032.



Item No	2019020038	2019020068	2019020098
Identification	LTS 30	LTS 60	LTS 90
Volume cubic	0.3	0.6	0.9
Volume Litre	320	520	765
Length mm	1235	1525	1525
Width mm	840	865	1215
Height mm	750	870	870
Weight kg	80	101	122
Capacity kg	1500	2000	2000

TILTING SKIPS WITH HIGH COVER

Item No 201211110




Sizes from 200 litres up to and including 1700 litres have the following base frame dimensions: A=160 mm, B=230 mm, C=630 mm, D=100 mm.
Sizes from 2200 litres up to and including 2700 litres have the following base frame dimensions: A=560 mm, B=230 mm, C=1035 mm, D=100 mm.

Item No	201211020	201211040	201211075	201211110	201211130	201211170	201211220	201211270
Identification	TL 200	TL 400	TL 750	TL 1100	TL 1300	TL 1700	TL 220	TL 2700
Volume cubic	0.2	0.4	0.75	1.1	1.3	1.7	2.2	2.7
Volume Litre	130	320	520	770	1030	1350	1700	2050
Length mm	815	1235	1525	1525	1700	2073	2073	2073
Width mm	780	860	880	1230	1230	1080	1330	1580
Height mm	900	1110	1295	1295	1545	1845	1845	1845
Weight kg	90	140	175	240	260	330	350	430
Capacity Kg	1200	1500	2000	2000	2000	2000	2000	2000
Number of doors	1	1	1	2	2	1	2	2

HEAVY DUTY TILTING SKIPS


Tippo HD, a heavy duty tilting skip for heavier materials and rougher handling. 3 mm steel plate and reinforcements at sensitive locations ensures strength. Lower front for easier control of the material when emptying. Longer and higher handle for manual emptying makes it easier for the user. Automatic emptying with the pressure plate on front edge of the chassis allows the driver to safely sit in the fork lift truck throughout the tilting procedure and thereby minimize the risk of accidents. Wire holding container to the undercarriage for involuntary discharge not to occur. The same cable also works as a fork lock and pulled around the truck stand before emptying to take place and prevents the container from being able to slip of the forks.

Item No 2015141600



Item No	2015140300	2015140600	2015140900	2015141100	2015141600
Identification	Tippo HD 300	Tippo HD 600	Tippo HD 900	Tippo HD 1100	Tippo HD 1600
Volume cubic	0.3	0.6	0.9	1.1	1.6
Length mm	1230	1540	1540	1860	2150
Width mm	840	870	1215	1215	1065
Height mm	760	875	875	1045	1245
Weight kg	110	135	159	188	235
Capacity kg	2500	2500	2500	2500	2500

Sizes from 300 litres up to and including 1600 litres have the following base frame dimensions:
A=160 mm, B=220 mm, C=615 mm, D=110 mm.




ACCESSORY FOR HEAVY DUTY TILTING SKIPS

New way to tilt the Heavy Duty Tilting Skips family. Use the forkspreading when you tilt the skip. You have 3 ways to tilt the skip. Forkspreading, automatic drain mechanism and manuel. With this new model you can tip everywhere.



Item No 2512019044

ACCESSORIES: FLAT COVER TO OPEN TILTING SKIPS. CAN EASILY BE RETROFITTED.




Item No	2511012021	2511012041	2511012076	2511012111	2511012131	2511012171	2511012221	2511012271	2511012301
Flat cover for	Tippo 150	Tippo 300	Tippo 600	Tippo 900	Tippo 1100	Tippo 1600	Tippo 2000	Tippo 2500	Tippo 3000

Safety chain




Distance heels



Wheel set with spacers



Fork lock



Net - crane – tight welding for liquid separation



ACCESSORIES FOR TILTING SKIPS

Item No	2011010925	2512019040	2512019041	2512019042	2512019046
Identification	Safety chain	Fork lock	Spacer heels for handling with stacking trucks	Spacer heels for wheels when handling with stacking trucks	Net - crane – tight welding for liquid separation

8611019030	8611019051	8612019031	8612017160	8612019037	8612019038	8611019032
Wheel set nylon 150 mm	Wheel set nylon 150 mm with break	Wheel set solid rubber 160 mm	Wheel set solid rubber 160 mm with break	Wheel set polyretan 160 mm	Wheel set polyretan 160 mm with break	Wheel set stainless steel 160 mm with break

Item No 8611019030



Item No 8612019031



Item No 8612019037




Item No 8611019032



TILTING SKIP TV300

Smooth tipper on wheels that can be rolled by hand or moved by a forklift. This tipper is made of sturdy powder-coated metal with an edge reinforced container to withstand a lot of hard and heavy use. Its low front makes it perfect to fit in under machines for goods or waste collection. The tipper has two wheels in front and a rear wheel with break as well as fork tunnels to be transported using a forklift.



Item No	2014014030
Volume L	300
Capacity kg	300
Length mm	1200
Width mm	900
Height mm	1060



LOW TILTING SKIPS


Low containers are suitable for use in workstations where the height plays a role. They facilitate the handling of waste, sawdust, wood, splinters, etc. Built-in fork locking for safe handling. The low container has a low construction height and is thereby emptied over its axle using a strong hinge. Equipped with a spring pressure plate on the base frame for automatic emptying. Powder coated.

Item No 2013013055



Item No	2013013055	2013013075	2013013090
Identification	Tippo LB 55	Tippo LB 75	Tippo LB 90
Capacity Kg	1500	1500	1500
Volume L	550	750	900
Length mm	1645	1645	1645
Width mm	1065	1315	1565
Height mm	525	525	525
Weight kg	116	129	142

Fork channel dimensions
A=150 mm, B=265 mm,
C=705 mm, D=95 mm.





WINTER PRODUCTS



GRIT AND SALT BINS

Bins used for storing grit and salt in pedestrian traffic areas, bus and tram stops, railway stations, parking lots etc. Designed with original construction and modern design so the bins can be placed almost anywhere. Easy to transport and store as they are designed to be transported by forklift. At the end of winter empty bins can be stacked for next season taking up little storage space. The grit and salt bins have been attested by the National Institute of Hygiene.

The bins have very good durability with their strong and rigid construction. Top quality polyethylene and modern technology make the bins extremely resistant to mechanical damage and changing weather conditions (UV-stabilized they will not fade in the sun). They are lightweight, do not corrode and do not contain any metal parts. They can also be used for storing other materials used to protect sidewalks and streets, such as sorbent.

Item No 2113035054



Item No 2113035103



Item No 2113035156



Item No 2113035302



GRIT AND SALT BINS

Capacity kg	50	100	150	300
Volume L	58	115	173	345
Depth mm	540	660	740	970
Width mm	590	720	860	1090
Height mm	500	590	810	1030
Weight kg	6	10	14	27

GRIT AND SALT BINS 50KG

Item No	2113035052	2113035053	2113035054	2113035056
Colour	Green	Red	Yellow	Blue

GRIT AND SALT BINS 100KG

Item No	2113035102	2113035103	2113035104	2113035106
Colour	Green	Red	Yellow	Blue

GRIT AND SALT BINS 150KG

Item No	2113035152	2113035153	2113035154	2113035156
Colour	Green	Red	Yellow	Blue

GRIT AND SALT BINS 300KG

Item No	2113035302	2113035303	2113035304	2113035306
Colour	Green	Red	Yellow	Blue

Item No	2113035400	2113035550
Colour	Yellow	Yellow
Volume L	400	550
Depth mm	585	980
Width mm	1200	1325
Height mm	650	740
Weight kg	24	25

Item No 2113035400



Item no 2113035400 is stackable.

Item No 2113035550




Made of GRP (fiberglass with high impact resistance). Other sizes are available on request, from 110 L up to 1100 L.


PLOUGHS FOR FORKLIFT TRUCKS

Strong ploughs in 8 mm sheet steel fitted with a spring mechanism and a fork lock for safe and effective ploughing. The spring mechanism causes the plough to retract in the event of a collision. Simple and easy adjustment to the truck's forks. Reinforced on the front edge for a long service life. The plough is adjustable in three positions: Right, left and straight. Powder coated.

Item No 7012016015



Fork channel internal dimensions:
A=525 mm, B=215 mm, C=975 mm, D=68 mm.



Item No	7012016015	7012016020	7012016025	7012016030
Identification	SP 15	SP 20	SP 25	SP 30
Width mm	1500	2000	2500	3000
Height blade mm	600	600	600	600
Weight	240	255	270	285

PLOUGH FOR FORKLIFT TRUCKS

Plough with rubber that is exchangeable. Simple and easy to change in three positions and the fork channels have fork lock. The exchangeable rubber makes the snow plough last longer.

Item No 7012016520




Rubber. Item No
7012016590

Item No	7012016520
Identification	SPR 20
Width mm	2000
Height blade mm	450
Weight	72



Fork channel internal dimensions:
A=250 mm, B=160 mm, C=570 mm, D=80 mm.




PLOUGH FOR FORKLIFT TRUCKS


Strong plough in 5 mm steel plate. Equipped with fork lock for safe and efficient plowing. Easy and fast bucking on your forks. Reinforced bottom for durability.

The plow is solid and built for plowing side and is reversible for side plowing on the left and the right. Powder coated.

Item No 7012016518



Item No	7012016518
Identification	SPF 18
Width mm	1800
Height blade mm	400
Weight	95



Fork channel internal dimensions:
A=430 mm, B=170 mm, C=790 mm, D=75 mm.


SNOW AND SAND SCOOP

Powerful truck scoop for handling and clearing of snow, gravel, sawdust, waste, etc. Manufactured in 3 mm sheet metal with strong hardwearing steel on the front edge. Built in fork locking for safe operation. Powder coated.

Item No 7011015015



Item No	7011015010	7011015015
Identification	SK 1	SK2
Volume L	1000	1500
Length mm	1795	1795
Width mm	1500	2000
Height mm	600	750
Capacity Kg	1500	1500
Weight kg	154	209



Fork channel dimensions
A=475 mm, B=265 mm, C=1025 mm, D=95 mm.



EFEKT - SNOW SHOVEL

With smart patented solutions, ergonomic and awarded for its design. EFEKT is the best and smartest solution for snow handling .

Item No 7025020086

Item No	7025020086
Identification	Shovel EFEKT
Blade width mm	370
Blade height mm	570
Overall height mm	1610
Thickness shaft mm	36



SNOWTRAY

High graded plastic snowtray, bow with thermogrip, steel edge and very light for easy gliding.

Item No 7025477001

Item No	7025477001
Identification	Snowtray
Blade width mm	770
Overall height mm	580
Weight kg	5



SALT & SAND CARRIER

Extra wide carrier for salt, sand and grain, etc. Long service life and stable design.

Collapsible support; the length of the handle is adjustable. Pneumatic rubber wheel adapted for winter weather conditions and terrains. The flow can easily be adjusted to the desired amount. Plastic cover to keep sand and salt dry.

Item No 1970057150

Item No	1970057150
Total width mm	800
Width mm	600
Wheel type	Pneumatic
Wheel diameter mm	300
Volume L	35
Weight kg	16.5



SALT & SAND CARRIER

Spreader for salt, sand, seeds and fertilizer. Easy dosing on the grip. Capacity up to 25 L with cover and fender. Measurement 465x690 mm.

SONNECK
SNOWMASTER®

Item No 1970057148



BATTERY POWERED SNOW BLOWER

A battery powered snow blower which is very easy to use. Ideal for garage driveways and pavements. Ergonomic single-hand grip and optimal handling through adjustable grip. Ergonomic and silent for great comfort.

Item No	7040030330
Identification	ACCU 330
Battery: Lithium	18V 4.0 Ah 72Wh
Operation life	45 min
Charging time	60 min
Clearing width	330 mm
Throwing width	3-4 m
Throwing height	3-4 m
Weight	6 kg

SONNECK
SNOWMASTER®

Item No 7040030330



BATTERY POWERED SNOW BLOWER

Powerful brushless motor and a very easy control box to control the engine. Ergonomic and silent for great comfort. LED light on the handlebar and electric steering of the out blow canon.

Item No	7040030450
Identification	ACCU 450
Clearing Capacity	200 m2
Battery: Lithium	36V 4.0 Ah 144 Wh
Operation life	45 min
Charging time	90 min
Clearing width	450 mm
Throwing width	4-5 m
Throwing height	3-5 m
Weight	15 kg

SONNECK
SNOWMASTER®

Item No 7040030450



WORKSHOP EQUIPMENTS



PALLET LEGS 5



WORKTABLES 6-9



TOOL TROLLEYS 10



WORK SHOP TROLLEY 11-12

RACKS AND STORAGE



SHELVS 23



SHELVING SYSTEMS 24-25



STEP STOOLS 26-27

TRANSPORT AND LIFTING



HAND TRUCKS 37-41



TROLLEYS 42-45



PALLET CAGES 46



TROLLEYS & TRANSPORT 47-49



PALLET TRUCKS 50-59

ENVIRONMENTAL HANDLING



WORK CAGES 85



DRUM LIFTERS 86-87



DRUM PALLETS 88-91



TOOL TROLLEY 92



BOTTOM DISCHARGING 92

WINTER PRODUCTS



GRIT & SALT BINS 101




PLOGHS 102-103

Reservations:


- Due to printing technology reasons, shades of color may differ from reality.
- We reserve us against product- and design changes that can occur beyond our control.



Flat pack – Is good for the environment because of less transport space which also give you a lower transport cost and make them easier for storage before use.



TOOL CABINET & PANEL 13



TOOL PANELS & HOOKS 14-19



COMPUTER CABINETS 20-21



STORAGE CABINETS 28-29



CHEMICAL CABINET 30



KEY BOXES 31



LOCKERS 32-35



SCISSOR LIFTS 60-61



LIFTING TABLES 62-65



LIFTERS & STACKERS 66-74



ACCESSORIES, LIFTING, TRANSPORT 75-83



REFUSE BINS 93



TILTING SKIPS 94-96



HEAVY DUTY TILTING SKIPS 97



SPECIAL TILTING SKIPS 99



SNOW SHOVEL 104



SALT & SAND CARRIER 105



SNOW BLOWERS 105

Special products and product customization!

Can you not find what you are looking for? We have the ability to customize many of our products! We also know manufacturers all over the world so we can search for the products that will suit your need! Remember always to ask us first!